

P.I.T.

P.I.T.

YOUR ACHIEVEMENT, OUR TOOLS.



POWER TOOLS CATALOGUE *2025-2026*



www.pit-tools.com

Zhejiang Longbo Mechanical and Equipment Co., Ltd.

Address: 1 Room 1-2201, Building 1, Keji Yuan Road 1, Baiyang street, Qiantang District,
Hangzhou City, Zhejiang Province, China

Email: info@pit-tools.com

Tel: +86-15057938923 +86-15024594433 +0571-88399225



WeChat
15057938923



INSTAGRAM
PIT Global



FACEBOOK
PIT Global



YOUTUBE
PIT Global

Made in China

P.I.T.

21 Years
INNOVATION
To Empower People's Every Job

VISION

To become one of the top three indigenous tool brands in China.

MISSION

Empower the world with manufacturing excellence of China.

VALUE

Integrity and responsibility, pioneering innovation, cooperative win-win solutions.

COMPANY PROFILE

P.I.T. is an enterprise dedicated to the design, R&D, production, sales, and service of power tool and hand tool products.

Over the past 21 years, we have grown from a small-scale factory into a global professional tool manufacturer with over 500 outlets worldwide, covering vast markets in Europe, Asia, Africa, and the Middle East.

Guided by our core philosophy of "Be a Pro with P.I.T." we are committed to providing comprehensive, scenario-based tool product solutions for professional and DIY tool users around the world.

**LEARN
MORE**



P.I.T.

WAREHOUSING
AND LOGISTIC SYSTEM



China



20000+
square meters
7,856 available storage shelves



17

17 TESTING UNITS

60+

OVER 60 TYPES OF EQUIPMENTS

1000+

dimensions such as functionality

GB IEC EN CSA ISO DIN ANSI



TUV南德合作实验室

10000+

After-sales service outlets

For a long time, we have won the favor of the market with a wide range of product categories, solid quality and exceptional value for money. Whether in cold Siberia, inland Central Asian countries, or in hot Africa and Southeast Asia, you can always find P.I.T.'s products.

12V ONEPOWER

20V ONEPOWER

40V ONEPOWER



CORDED TOOLS

ULTRA

TABLE OF CONTENTS

09 12V ONEPOWER

Battery & Charger | Drilling | Impact Driver | Wrench
Garden | Polishing | Lifestyle

13 20V ONEPOWER

Battery & Charger | Drilling | Impact Driver | Wrench | Polishing & Cutting
Rotary Hammer | Fixeding | Air Compressor | Lifestyle | Garden | Combo Kit

39 40V ONEPOWER

Battery & Charger | OPE

41 CORDED TOOLS

Drilling | Impact Driver | Wrench | Polishing | Angle Grinder
Rotary Hammer | Cutting | Fixeding | Welder | Electronics
Gasoline Generator | Air Compressor | Pump
Cleaner | Garden | Automobile Repair

91 STORAGE AND HANDLING

95 ULTRA

ImpactDrilling | Impact Wrench | Impact Driver | Cutting
Cleaner | Rotary Hammer | Diamond Core Drill

IMPORTANT NOTICE

When using power tools, please adhere to safety guidelines to minimize the risk of fire, electric shock, injury, or other accidents.

Keep the Workplace Tidy

A cluttered workspace and workbench can easily lead to injuries.

Proper Handling of Auxiliary Accessories

When not using tools or performing maintenance, first remove accessories such as blades, drill bits, saw blades, etc.

Be Mindful of the Work Environment

Do not use power tools in damp areas. Keep the workspace well-lit, and avoid placing tools in locations exposed to rain or near flammable gases or liquids.

Precautions Before Operation

Before starting a tool, remove any auxiliary accessories like adjustment keys, wrenches, etc., to ensure safety.

Keep Children and Others Away from the Work Area

Children or other non-staff members should not enter the work area or touch tools and wires.

Prevent Unintentional Activation

Before using the tool, ensure that the switch is in the "off" position before connecting the power source to avoid accidents.

Store Tools Properly

When not in use, tools should be stored in a dry and secure location, out of the reach of children.

Use Proper Outdoor Extension Cords

When operating tools outdoors, use extension cords suitable for outdoor use.

Never Apply Excessive Force to Tools

Different tools have varying power levels. For better performance and safety, never force a tool beyond its capacity.

Stay Alert

Remain focused and attentive. Do not operate machinery if you are feeling fatigued.

Use the Right Tool for the Job

Different tasks require different tools. Do not use small tools for large projects or inappropriate tools for unintended purposes.

Check for Worn Parts

During operation, before restarting the tool, inspect protective equipment and other parts to ensure they are in proper condition. If any damage or displacement is detected, stop immediately and reinstall the parts according to the manual. For repairs or replacement, contact an authorized service center.

Wear Appropriate Work Clothes

Avoid loose clothing and jewelry. When working outdoors, it is recommended to wear rubber gloves and non-slip shoes. If you have long hair, wear protective headgear.

Wear Protective Gear

Use protective gear to avoid contact with grounded electrical equipment such as pipes, radiators, radios, or refrigerators.

Use a Safety Mask

Wear a dust mask when performing cutting operations.

Regularly Replace Worn Parts

Frequently inspect and regularly replace worn parts.

Protect the Power Cord

Do not carry tools by the power cord. When placing tools, keep the power cord away from heat, oil, or sharp objects.

Check Voltage

Before use, ensure that the power supply voltage matches the voltage indicated on the tool's nameplate. Using a power supply with a higher voltage may cause safety hazards or damage the tool, while a lower voltage may harm the motor.

Ensure Safe Operation

Secure the workpiece with a clamp or vise to allow safe handling of the tool with both hands.

Avoid Overreaching

Maintain stable footing and proper body balance while operating tools.

Maintain Your Tools

Keep cutting tools clean and sharp for optimal performance and safety. Follow safety guidelines to lubricate tools and replace worn parts. Regularly check the power cord for damage and, if necessary, visit an authorized service center for repairs. Keep tool handles dry, clean, and free from oil or grease.



Double Insulation



220V~/50Hz voltage frequency



1200 W Power (electricity)



1.5 Ah Battery capacity



45 CC Engine displacement



BL-motor



Anti-vibration



Electronic Start



Torque Limiter



Automatic lubrication



Dust Collection



Brake



Variable Speed



Soft Start



Pull-up starter



Reversing



Torque adjustment



28 N.m Torque



Bevel Angle



Start oil pump



Mechanical Speed



Easy Start



Waterproof



Job Light



Drill chuck



Hammer



Drilling



Hammer&Drilling



10000 r/min Speed



Φ13 mm Drill chuck specifications



46000 bpm Frequency



Φ10 mm Drill chuck specifications



5.5 J Striking Energy



SDS-PLUS Shank



SDS-MAX Shank



20/30/40 mm mold specifications



M14 Spindle thread



0~30 mm Grooving depth



0~30 mm Slot width



Φ125 mm Diameter



φ125 mm specifications



Orbital pendulum action



Laser guide



Maximum diameter



Maximum diameter



50°C~650°C Temperature range



250~500 L/min Air volume range



800 L/min Spraying speed



2.0/2.5/3.0 mm Nozzle specifications



405 mm Guide specifications



Level 2 cleaning



φ120 mm Rotation diameter



533x76 mm belt specifications



12 mm Milling cutter diameter



22 mm Reciprocating stroke



Φ115 mm Cutting diameter



Φ35 mm head diameter



1.5m tube length



110x3.5 mm Electric planer specifications



BATTERY

Driven to Deliver Innovative Cordless Solutions



PORTABLE & AFFORDABLE

A battery is used for all tools of P.I.T. 12V platform. From drilling to cutting, from metal processing to carpentry, from gardening to cleaning, and from professional to DIY, you can enjoy wireless freedom outdoors, in the studio, in the workshop or at home. The battery is compatible with the entire 12V platform series of products. At the time of purchase, you can choose to buy tools without batteries. You can buy more products at a lower cost without having to pay for unnecessary batteries and chargers. Based on existing platform, we never intend to stop moving forward. We will continue to add a variety of innovative and practical tools to our platform product line, because our target is to help you complete your work faster and easier.

PK12-1.5 LITHIUM ION BATTERY



Voltage:	12V
Capacity:	1500mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
105100202010	38x22.8x17.6cm	48pcs/CTN	9.5/10.5kg

PH12201 LITHIUM ION BATTERY

NEW!



Voltage:	12V
Capacity:	1500mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH12301 LITHIUM ION BATTERY

NEW!



Voltage:	12V
Capacity:	2500mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH12501 LITHIUM ION BATTERY

NEW!



Voltage:	12V
Capacity:	5000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PK12-2.0 LITHIUM ION BATTERY



Voltage:	12V
Capacity:	2000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
105100302010	38x22.8x17.6cm	48pcs/CTN	9.5/10.5kg

PH12202 LITHIUM ION BATTERY

NEW!



Voltage:	12V
Capacity:	2000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH12401 LITHIUM ION BATTERY

NEW!



Voltage:	12V
Capacity:	4000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PK12-1.5A CHARGER



Input Voltage:	100-240V~50/60Hz
Output Current:	1.5A



Product No.	Outer Carton Size	Qty	N.W / G.W
105200502010	37.7x30.6x46cm	48pcs/CTN	12.5/13kg

PBM12K-10C CORDLESS DRILL

NEW! 	Voltage:	12V
	Torque:	25N·m
	Speed:	0-450/0-1450r/min
	Specification:	Ø10mm (3/8")
	Torque Setting:	20+1



Product No.	Battery Pack	Data Cable	Outer Carton Size	Qty	N.W / G.W
/	PH12201x1pc	1pc	50x30x24.1cm	8pcs/CTN	12.5/13.5kg
/	PH12201x2pcs	1pc	55x32.5x26.5cm	5pcs/CTN	11.5/12.5kg

PSD12K-120A CORDLESS BRUSHLESS IMPACT DRIVER

	Voltage:	12V
	Torque:	120N·m
	Speed:	0-1100/0-2200/0-3300r/min
	Impact Rate:	4300ipm
	Specification:	1/4"(6.35mm)



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101800101010	/	/	35.2x33x20cm	10pcs/CTN	9/9.5kg
101800102110	PK12-2.0x1pc	1pc	50.2x27.5x26cm	8pcs/CTN	10.5/11.5kg
101800103210	PK12-2.0x2pcs	1pc	54.2x32x26.5cm	5pcs/CTN	11/12kg

PIW12K-120A CORDLESS BRUSHLESS IMPACT WRENCH

	Voltage:	12V
	Torque:	120N·m
	Speed:	0-1500/0-2200/0-2600r/min
	Impact Rate:	3400ipm
	Specification:	3/8"(9.52mm)



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101600101010	/	/	35.2x33.5x20cm	10pcs/CTN	9.5/10kg
101600102110	PK12-2.0x1pc	1pc	50.2x27.5x26cm	8pcs/CTN	11/12kg
101600103210	PK12-2.0x2pcs	1pc	54.2x32x26.5cm	5pcs/CTN	11/12kg

PKE12K-100A CORDLESS CHAIN SAW

NEW! 	Voltage:	12V
	Specification:	100mm(4")
	Chain Speed:	6.0m/s
	Speed:	3100r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/

PBM12K-10D CORDLESS BRUSHLESS DRILL

NEW! 	Voltage:	12V
	Torque:	35N·m
	Speed:	0-450/0-1500r/min
	Specification:	Ø10mm (3/8")
	Torque Setting:	20+1



Product No.	Battery Pack	Data Cable	Outer Carton Size	Qty	N.W / G.W
/	PH12202x1pc	1pc	47.5x28x24.1cm	8pcs/CTN	11.5/12.5kg
/	PH12202x2pcs	1pc	54x32x26.5cm	5pcs/CTN	11/12kg



PHE12K-180A CORDLESS 2IN1 HEDGE TRIMMER

NEW! 	Voltage:	12V
	Specification:	180mm/100mm(7"/4")
	Cut Capacity:	8mm(5/16")
	Speed:	1200spm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/



PRW12K-45A CORDLESS RATCHET WRENCH

NEW! 	Voltage:	12V
	Torque:	45N·m
	Speed:	0-250r/min
	Specification:	3/8"(9.52mm)



Product No.	Battery Pack	Data Cable	Outer Carton Size	Qty	N.W / G.W
/	PH12202x1pc	1pc	/	/	/
/	PH12202x2pcs	1pc	/	/	/

PMG12K-024A CORDLESS ROTARY TOOL

NEW! 	Voltage:	12V
	Specification:	3.2mm(1/8")
	Speed:	5000-25000r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101200101010	/	1pc	48.2x27.6x31.5cm	15pcs/CTN	10.5/11.2kg
101200102110	PK12-2.0x1pc	1pc	64.5x41.2x32.2cm	5pcs/CTN	13/14kg
101200103210	PK12-2.0x2pcs	1pc	64.5x41.2x32.2cm	5pcs/CTN	14/15kg

PWS12K-76A CORDLESS ANGLE GRINDER

NEW! 	Voltage:	12V
	Specification:	76mm(3")
	Speed:	17500r/min
	Max Cutting Depth:	15mm
	Thread Diameter:	M5



Product No.	Battery Pack	Data Cable	Outer Carton Size	Qty	N.W / G.W
1000300102110	PH12202x1pc	1pc	44.5x26.6x35cm	10pcs/CTN	14/15kg
1000300103210	PH12202x2pcs	1pc	44.5x26.6x35cm	10pcs/CTN	16/17kg

PWL12K-5A CORDLESS WORK LIGHT

NEW! 	Voltage:	12V
	Input Power:	5W



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
107800101010	/	/	/	/	/

P.I.T.

POWER TOOLS 20V ONEPOWER



MORE | **MORE** | **MORE**
TOOLS FIT | POWER | RUN-TIME

20V ONEPOWER SYSTEM

The P.I.T. 20v platform is a market-leading Battery system. It is a system independently Developed and constructed by P.I.T. Since its launch, we have continuously developed New products on this system, and currently there Are more than 150 products.



STRUCTURE
EFFICIENTLY POWERED FOR
PEAK PERFORMANCE



BATTERY COMMUNICATION TECHNOLOGY

- Special communication port design
- Report to host discharge status
- Match smart charger to define charging current



BATTERY MANAGEMENT TECHNOLOGY

- Realtime monitor cell voltage to avoid overcharge and over discharge
- Realtime monitor cell temperature to avoid overheated
- Integrated with short-circuit protection device
- Capacity LED indicator



PROTECTION STRUCTURE

- Full-size shell protection structure, comprehensive protection for battery cells
- Sealed circuit board, anti-leakage, anti-impact, and calmly deal with severe working conditions



TEMP CONTROL

- TES energy storage material, absorb and store battery heat dissipation, balance discharge temperature, and extend battery life
- Fast cooling prevents overheat damage better discharge, longer battery life

PH20-2.0

LITHIUM ION BATTERY



Voltage:	20V
Capacity:	2000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
105100702010	35x30x29cm	30pcs/CTN	14.5/15.5kg

PH20-4.0

LITHIUM ION BATTERY



Voltage:	20V
Capacity:	4000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
105100902010	44.5x20.5x29.5cm	20pcs/CTN	15.5/16.5kg

PH20201

NEW!

LITHIUM ION BATTERY



Voltage:	20V
Capacity:	2000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH20401

NEW!

LITHIUM ION BATTERY



Voltage:	20V
Capacity:	4000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH20601

NEW!

LITHIUM ION BATTERY



Voltage:	20V
Capacity:	6000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH20-3.0

LITHIUM ION BATTERY



Voltage:	20V
Capacity:	3000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
105100802010	45x21x29cm	20pcs/CTN	14.5/15.5kg

PH20-5.0

LITHIUM ION BATTERY



Voltage:	20V
Capacity:	5000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
105100402010	45.5x28x19cm	30pcs/CTN	15/15.5kg

PH20301

NEW!

LITHIUM ION BATTERY



Voltage:	20V
Capacity:	3000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH20502

NEW!

LITHIUM ION BATTERY



Voltage:	20V
Capacity:	5000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH20801

NEW!

LITHIUM ION BATTERY



Voltage:	20V
Capacity:	8000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH20-2.4A CHARGER

Input Voltage:	220-240V~50/60Hz
Output Voltage:	20V
Output Current:	2.4A



Product No.	Outer Carton Size	Qty	N.W / G.W
105200603010	42x31,5x32,5cm	30pcs/CTN	10,5/11kg

PH20-4.0A CHARGER

Input Voltage:	220-240V~50/60Hz
Output Voltage:	20V
Output Current:	4.0A



Product No.	Outer Carton Size	Qty	N.W / G.W
105200702010	41x31x32cm	30pcs/CTN	10,5/11,5kg

PC20401 CHARGER

NEW!

Input Voltage:	220-240V~50/60Hz
Output Voltage:	20V/40V
Output Current:	2.5A/4.0A



Product No.	Outer Carton Size	Qty	N.W / G.W
105200201010	60x53,1x36cm	20pcs/CTN	16,7/17,7kg

PC20402 CHARGER

NEW!

Input Voltage:	220-240V~50/60Hz
Output Voltage:	12V/20V/40V
Output Current:	2.0A/2.5A/4.0A



Product No.	Outer Carton Size	Qty	N.W / G.W
105200301010	60x53,1x36cm	20pcs/CTN	16,7/17,7kg

PC20601 CHARGER

NEW!

Input Voltage:	220-240V~50/60Hz
Output Voltage:	20V/40V
Output Current:	6.0A/3.0A



Product No.	Outer Carton Size	Qty	N.W / G.W
105200401010	/	/	/

PC20801 CHARGER

NEW!

Input Voltage:	220-240V~50/60Hz
Output Voltage:	20V/40V
Output Current:	8.0A/4.0A



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PC201201 CHARGER

NEW!

Input Voltage:	220-240V~50/60Hz
Output Voltage:	20V/40V
Output Current:	12.0A/6.0A



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PC20401



WORKING STATUS INDICATOR
AUTOMATICALLY CONTROL THE CHARGING CURRENT TO PREVENT OVERCHARGING



PC20402





PBM20H-10C CORDLESS DRILL

NEW!

Voltage:	20V
Torque:	40N·m
Speed:	0-450/0-1500r/min
Specification:	Ø10mm (3/8")
Torque Setting:	20+1



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101300501010	/	/	38.3x38.2x22.9cm	10pcs/CTN	13.5/14.5kg
101300502110	PH20-2.0x1pc	1pc	50x37x33cm	4pcs/CTN	13/14kg
101300503210	PH20-2.0x2pcs	1pc	50x37x33cm	4pcs/CTN	15.5/16.5kg

PBM20H-10D CORDLESS DRILL

NEW!

Voltage:	20V
Torque:	50N·m
Speed:	0-500/0-1650r/min
Specification:	Ø10mm (3/8")
Torque Setting:	20+1



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101300601010	/	/	47.7x36.2x23.2cm	12pcs/CTN	14.5/15.5kg
101300602110	PH20-2.0x1pc	1pc	51.5x37.7x33.1cm	4pcs/CTN	13/14kg
101300603210	PH20-2.0x2pcs	1pc	51.5x37.7x33.1cm	4pcs/CTN	16/17kg

PSB20H-13D CORDLESS BRUSHLESS IMPACT DRILL

NEW!

Voltage:	20V
Torque:	75N·m
Speed:	0-300/0-2000r/min
Specification:	Ø13mm (1/2")
Torque Setting:	20+1+1



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101400301010	/	/	46x29x28.1cm	6pcs/CTN	12/13kg
101400302110	PH20-2.0x1pc	1pc	48.5x45x32.6cm	4pcs/CTN	17/18kg
101400304210	PH20-2.0x2pcs	1pc	48.5x45x32.6cm	4pcs/CTN	18/19kg
101400306110	PH20-4.0x1pc	1pc	48.5x45x32.6cm	4pcs/CTN	18/19kg

PSB20H-13E CORDLESS BRUSHLESS IMPACT DRILL

NEW!

Voltage:	20V
Torque:	100N·m
Speed:	0-450/0-1800r/min
Specification:	Ø13mm (1/2")
Torque Setting:	20+3



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101400401010	/	/	53x33.9x20.5cm	6pcs/CTN	12.5/13.5kg
101400402110	PH20-4.0x1pc	1pc	45x36.6x32.6cm	3pcs/CTN	14/15kg
101400403210	PH20-4.0x2pcs	1pc	45x36.6x32.6cm	3pcs/CTN	16.5/17kg

PIW20H-300B CORDLESS BRUSHLESS IMPACT WRENCH

NEW!

Voltage:	20V
Torque:	300N·m
Speed:	0-1200/0-1900/0-2400r/min
Impact Rate:	3600ipm
Specification:	12.7mm(1/2")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101600201010	/	/	36.8x32x23.5cm	8pcs/CTN	14.5/15kg
101600202110	PH20-2.0x1pc	1pc	51.5x38.4x33.2cm	4pcs/CTN	15/16kg
101600203210	PH20-2.0x2pcs	1pc	51.5x37.7x33.1cm	4pcs/CTN	17/18kg
101600205110	PH20-4.0x1pc	1pc	50.3x37.7x33.1cm	4pcs/CTN	16/17kg

PIW20H-600A CORDLESS BRUSHLESS IMPACT WRENCH

NEW!

Voltage:	20V
Torque:	600N·m
Speed:	0-1380/0-1850/0-2200r/min
Impact Rate:	1850/2100/2800ipm
Specification:	12.7mm(1/2")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101600301010	/	/	38.3x33.5x25.2cm	8pcs/CTN	15.5/16.5kg
101600302110	PH20-4.0x1pc	1pc	51.5x37.7x33.1cm	4pcs/CTN	15/16kg
101600303210	PH20-4.0x2pcs	1pc	38.7x37.7x33.1cm	3pcs/CTN	14.5/15.5kg

PSD20H-170A CORDLESS BRUSHLESS IMPACT DRIVER



Voltage:	20V
Torque:	170N·m
Speed:	0-1300/0-2200/0-3300r/min
Impact Rate:	3500ipm
Specification:	6.35mm(1/4")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101800201010	/	/	39.5x33x23.8cm	10pcs/CTN	13.5/14kg
101800202110	PH20-2.0x1pc	1pc	49.7x36.7x34cm	4pcs/CTN	12/13kg
101800203210	PH20-2.0x2pcs	1pc	37x36.7x34cm	3pcs/CTN	14/15kg

PWS20H-125C ANGLE GRINDER



Voltage:	20V
Specification:	125mm(5")
Speed:	8500r/min
Throwing Distance:	M14



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100300302110	PH20-4.0x1pc	/	56.5x40.2x32cm	4pcs/CTN	17/18.7kg

PPO20H-125A CORDLESS BRUSHLESS POLISHER



Voltage:	20V
Specification:	125mm(5")
Speed:	2300-3800r/min
Eccentricity:	15mm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100400101010	/	/	50.5x49.5x32cm	6pcs/CTN	16.5/17.5kg

PSD20H-230A CORDLESS BRUSHLESS IMPACT DRIVER



Voltage:	20V
Torque:	230N·m
Speed:	0-1300/0-2200/0-3300r/min
Impact Rate:	3500ipm
Specification:	6.35mm(1/4")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101800301010	/	/	39.5x33x23.8cm	10pcs/CTN	13.5/14kg
101800302110	PH20-2.0x1pc	1pc	49.7x36.7x34cm	4pcs/CTN	12/13kg
101800303210	PH20-2.0x2pcs	1pc	37x36.7x34cm	3pcs/CTN	14/15kg
101800305110	PH20-4.0x1pc	1pc	49.7x36.7x34cm	4pcs/CTN	13/14kg

PWS20H-125D BRUSHLESS ANGLE GRINDER



Voltage:	20V
Specification:	125mm(5")
Speed:	4500/6500/8000r/min
Throwing Distance:	M14



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100300401010	/	/	50x35x25cm	8pcs/CTN	16.5/17kg
100300402110	PH20-4.0x1pc	1pc	55x40.5x33cm	4pcs/CTN	17.5/18.5kg
100300403210	PH20-4.0x2pcs	1pc	41.5x40.5x33cm	3pcs/CTN	15.5/16.5kg

PPO20H-250A CORDLESS POLISHER



Voltage:	20V
Specification:	254mm(10")
Speed:	2500r/min
Eccentricity:	5mm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100400201010	/	/	55x28x50.5cm	8pcs/CTN	11.5/12.5kg





PBH20H-22B CORDLESS BRUSHLESS ROTARY HAMMER



Voltage:	20V
Speed:	0-1350r/min
Impact Rate:	0-4700ipm
Impact Energy:	1.8J
Specification:	Ø22mm (7/8")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100100301010	/	/	52×31.5×24.5cm	5pcs/CTN	13/13.5kg
100100302110	PH20-4.0x1pc	1pc	44×39×35cm	3pcs/CTN	15/16kg
100100303210	PH20-4.0x2pcs	1pc	44.5×39×35.5cm	3pcs/CTN	17/18kg

PBH20H-26A CORDLESS BRUSHLESS ROTARY HAMMER



Voltage:	20V
Speed:	0-800r/min
Impact Rate:	0-3800ipm
Impact Energy:	5J
Specification:	Ø26mm (1")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100100401010	/	/	40.8×29.5×27.8cm	3pcs/CTN	14.7/15.7kg
100100402110	PH20-4.0x1pc	1pc	51.3×29.5×37.5cm	2pcs/CTN	16.5/17.5kg
100100403210	PH20-4.0x2pcs	1pc	51.3×29.5×37.5cm	2pcs/CTN	18/19kg

PWC20H-300A CORDLESS CUT-OFF SAW

NEW!



Voltage:	20V+20V
Speed:	3800r/min
Max.cutting Capacity:	115mm(4-1/2")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101900101010	/	/	66.3×41.3×28.8cm	1pc/CTN	8/8.7kg

PST20H-65A CORDLESS JIG SAW

NEW!



Voltage:	20V
Speed:	800-3500spm
Max.cutting Capacity:	65mm(2-9/16")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/

PST20H-70A CORDLESS JIG SAW



Voltage:	20V
Speed:	0-2400spm
Max.cutting Capacity:	70mm(2-3/4")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102400101010	/	/	48×28.5×24cm	6pcs/CTN	11.2/11.8kg
102400102110	PH20-2.0x1pc	1pc	46.7×36×31cm	3pcs/CTN	12.3/13kg

PST20H-80A CORDLESS JIG SAW



Voltage:	20V
Speed:	0-2400spm
Max.cutting Capacity:	80mm(3-1/8")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102400201010	/	/	51×27.5×23cm	6pcs/CTN	13.6/14.2kg
102400202110	PH20-2.0x1pc	1pc	46.7×36×31cm	3pcs/CTN	12/12.6kg
102400203210	PH20-2.0x2pcs	1pc	46×38×30cm	3pcs/CTN	12.5/13.5kg

PST20H-105A CORDLESS JIG SAW



Voltage:	20V
Speed:	800-3500spm
Max.cutting Capacity:	105mm(4-1/8")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/

PKS20H-150A CORDLESS CIRCULAR SAW

NEW!



Voltage:	20V
Speed:	6500r/min
Specification:	150mm(6")
Max.cutting Capacity:	57/41mm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102500101010	/	/	47.5×38.5×30cm	6pcs/CTN	11.7/12.3kg

PKS20H-165A CORDLESS CIRCULAR SAW



Voltage:	20V
Speed:	4300r/min
Specification:	165mm(6-1/2")
Cutting depth of wood(Max.):	52/36mm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102500201010	/	/	37×32.5×52cm	4pcs/CTN	12/12.5kg
102500202110	PH20-4.0x1pc	1pc	68×38×28cm	4pcs/CTN	16.5/17.5kg

PSA20H-115A CORDLESS RECIPROCATING SAW



Voltage:	20V
Speed:	0-2700spm
Max.cutting Capacity:	115mm(4-1/2")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102600101010	/	/	41x34x18cm	6pcs/CTN	11/12kg
102600102110	PH20-2.0x1pc	1pc	42.5x33x36.5cm	6pcs/CTN	16.5/17kg

PBS20H-75A CORDLESS BRUSHLESS BELT SANDER



Voltage:	20V
Specification:	76x457mm(3"x18")
Speed:	120-380m/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100700101010	/	/	34x29x40cm	4pcs/CTN	10.2/11.2kg

PDS20H-125A CORDLESS RANDOM ORBITAL SANDER



Voltage:	20V
Specification:	125mm(5")
Speed:	6000-11000r/min
Eccentricity:	2mm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100800101010	/	/	52x21x31cm	8pcs/CTN	9.6/10.6kg

PEP20H-82A CORDLESS BRUSHLESS PLANER

NEW!



Voltage:	20V
Specification:	82x2mm(3-1/4"x1/16")
Speed:	16000r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102700101010	/	/	37x32x39cm	4pcs/CTN	11.5/12.5kg

PBS20H-75B CORDLESS BELT SANDER



Voltage:	20V
Specification:	76x457mm(3"x18")
Speed:	120-350m/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100700201010	/	/	34x29x40cm	4pcs/CTN	11.5/12.5kg

PSP20H-140A CORDLESS DETAIL SANDER



Voltage:	20V
Specification:	140x140x80mm(5-1/2"x5-1/2"x3-1/4")
Speed:	12000r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100900601010	/	/	50x22.5x34cm	8pcs/CTN	8/8.5kg

PSP20H-187A CORDLESS MULTI-PURPOSE SANDER



Voltage:	20V
Circula Sand Specifications:	125mm(5")
Flat Sand Specifications:	187x90mm(8"x3-1/2")
Mouse Sand Specifications:	140x140x80mm (5-1/2"x5-1/2"x3-1/4")
Speed:	6000-12000r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
100900101010	/	/	41x28.5x36cm	6pcs/CTN	11/11.5kg





PMT20H-035A CORDLESS MULTITOOL OSCILLATING TOOL

Voltage:	20V
Speed:	5000-19000opm
Oscillation Angle:	3.2°



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102100101010	/	/	40x31.5x23cm	10pcs/CTN	12/12.5kg
102100102110	PH20-2.0x1pc	1pc	61.5x35x29cm	6pcs/CTN	16/19kg

PMT20H-035B BRUSHLESS MULTI-TOOL

Voltage:	20V
Speed:	5000-19000opm
Oscillation Angle:	3.6°



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102100201010	/	/	51.5x34.7x22.5cm	10pcs/CTN	13/13.8kg
102100202110	PH20-2.0x1pc	1pc	/	/	/
102100203210	PH20-2.0x2pc	1pc	/	/	/

PER20H-6A CORDLESS BRUSHLESS ROUTER

Voltage:	20V
Specification:	6mm(1/4")
Speed:	12000-28000r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102800101010	/	/	44.5x40.5x25cm	8pcs/CTN	16.5/17kg

PRPS01-6A PLUNGE BASE FOR ROUTER

Milling Depth:	0-38mm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106400101010	/	/	52x39x37.5cm	8pcs/CTN	14.9/15.9kg

PMS20H-210A CORDLESS MITER SAW

Voltage:	20V
Speed:	0-4500r/min
Saw Blade Diameter:	210mm(8-1/4")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
103200101010	/	/	77.5x46x35.5cm	1pc/CTN	9/11.5kg

PMS20H-210B CORDLESS MITER SAW

Voltage:	20V
Speed:	4200r/min
Saw Blade Diameter:	210mm(8-1/4")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
103200201010	/	/	53x34x30.5cm	1pc/CTN	5.7/7.1kg

PHS20H-127A CORDLESS BELT SAW

Voltage:	20V
Speed:	0-2m/s
Max.cutting Capacity:	127x115mm(5"x4-1/2")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102200101010	/	/	62.5x47x37.5cm	2pcs/CTN	17.3/18.3kg

PST20H-15/1013A CORDLESS BRAD NAILER



Voltage:	20V
Cycle Rate:	20pcs/min
Kettle capacity:	100pcs
Nail Type:	8-14mm 15mm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
103800101010	/	/	40x29.5x26.5cm	5pcs/CTN	9/9.5kg

PST20H-30/625A CORDCORDLESS BRAD NAILER



Voltage:	20V
Cycle Rate:	20pcs/min
Kettle capacity:	100pcs
Nail Type:	15-25mm 15-32mm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
103800201010	/	/	42.5x30.5x26.5cm	4pcs/CTN	10.5/11.5kg

PHG20H-550A CORDLESS HEAT GUN



Voltage:	20V
Wind Speed:	200L/min
Temperature:	550°C



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
103700101010	/	/	34.5x25x38cm	8pcs/CTN	7/7.5kg

PMV20H-25A CORDLESS BRUSHLESS CONCRETE VIBRATOR



Voltage:	20V
Speed:	3100r/min
Vibration Frequency:	12500vpm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
103500101010	/	/	42x30.5x38.5cm	10pcs/CTN	12.5/13.5kg

PEC20H-11A CORDLESS GLUE GUN



Voltage:	20V
Specification:	Ø11mm (7/16")
Temperature:	200°C
Dispensing Speed:	450g/h



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
104100101010	/	/	46x44.5x20.6cm	10pcs/CTN	6/7kg

PEC20H-300A CORDLESSCAULKING GUN



Voltage:	20V
Kettle capacity:	300ml
Max.pulling Force:	3000N



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
104100201010	/	/	41.5x32x31cm	8pcs/CTN	9.8/10.8kg
104100301010	PH20-2.0x1pc	1pc	59.5x35x30.5cm	8pcs/CTN	16/17kg

PAC20H-4A CORDLESS AIR COMPRESSOR

NEW!



Voltage:	20V
Input Power:	350W
Speed:	4500r/min
Kettle capacity:	4L
Flow Rate:	1.2m³/h
Pressure:	8bar



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
107000101010	/	/	36.5x32x37cm	1pc/CTN	8/9kg

PGG20H-400A CORDLESS GREASE GUN

NEW!



Voltage:	20V
Maximum Flow:	100/300g/min
Pressure:	10000/6000PSI
Oil Pipe Length:	1.2m



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
104600101010	/	/	53.6x32.7x37.6cm	2pcs/CTN	13.5/14.5kg

PRG20H-5A CORDLESS RIVET GUN

NEW!



Voltage:	20V
Max.pulling Force:	20000N
Work Stroke:	25mm
Specification:	2.4-4.8mm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
104300101010	/	/	38.5x32x46.5cm	5pcs/CTN	12/13kg

PEI20H-60A CORDLESS TOOL KIT

NEW!



Voltage:	20V
Input Power:	60W
No-load Speed:	9000-25000r/min
Max. Temperature:	450°C



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
104800101010	/	/	28x19.5x26.5cm	4pcs/CTN	4.2/4.3kg

PSG20H-900A CORDLESS PAINT SPRAYER



Voltage:	20V
Flow Rate:	700ml/min
Pressure:	0.1-0.2bar
Viscosity:	60DIN-s
Kettle capacity:	900ml



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
103900101010	/	/	62.5x31.5x26cm	4pcs/CTN	6.5/7.5kg

PAD20H-3A CORDLESS BATTERY USB ADAPTER



Input Voltage:	5V±0.1V
Output Current:	2.4A



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
108200101010	/	/	34x28.5x44.5cm	100pcs/CTN	15/15.5kg

PWL20H-3A CORDLESS WORK LIGHT



Voltage:	20V
Luminous Flux:	300lm
Input Power:	3W



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
107800201010	/	/	49x32x29cm	18pcs/CTN	7/8kg

PWL20H-5A CORDLESS WORK LIGHT

NEW!



Voltage:	20V
Input Power:	5W



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
107800301010	/	/	/	/	/

PWL20H-20A CORDLESS WORK LIGHT



Voltage:	20V
Luminous Flux:	900lm/1900lm
Working Temperature:	-20°C~40°C
Input Power:	10/20W



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
107800401010	/	/	45x31x29cm	5pcs/CTN	10.5/11.5kg

PWL20H-80A CORDLESS WORK LIGHT

NEW!



Voltage:	20V
Luminous Flux:	2000/4000/8000LM
Input Power:	20/40/80W



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
107800501010	/	/	89x17x32cm	2pcs/CTN	9.7/10.5kg



PJS20H-10A CORDLESS BLUETOOTH JOBSITE SPEAKER



Voltage:	20V
Input Power:	2x10W
VHF frequency range:	87.5-108mhz



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
108000101010	/	/	54x28x20cm	4pcs/CTN	5.6/6kg

PVC20H-0.5A CORDLESS VACUUM CELANER



Voltage:	20V
Kettle capacity:	500ml
Max.sealed Suction:	≥3.8kpa



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
105800101010	/	/	49x30x38cm	4pcs/CTN	6/7kg

PBO20H-300A CORDLESS WORKSHOP BLOWER



Voltage:	20V
Flow Rate:	168m³/h
Speed:	18000r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106000101010	/	/	50x34.5x40cm	6pcs/CTN	9/10kg

PAIP20H-11A CORDLESS AIR COMPRESSOR



Voltage:	20V+ 12V
Pressure:	0-11Bar (0-160PSI/0-1100Kpa)
Temperature Range:	-20°C~60°C



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
108300101010	/	/	35x32.5x43cm	4pcs/CTN	7.2/8kg

PVC20H-10A CORDLESS VACUUM CELANER



Voltage:	20V
Kettle capacity:	10L
Max.sealed Suction:	16kpa
Flow Rate:	1.0m³/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
105800201010	/	/	40x27.5x30.5cm	1pc/CTN	3.2/4.2kg

PBO20H-450A CORDLESS WORKSHOP BLOWER



Voltage:	20V
Flow Rate:	110/180m³/h
Speed:	12000-18000r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106000201010	/	/	54x34x42.2cm	6pcs/CTN	9/10kg



PTR20H-300A		CORDLESS TRIMMER	
NEW!			
		Voltage:	20V
		Speed:	8000r/min
		Specification:	300mm(12")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106100101010	/	/	72x41x32cm	4pcs/CTN	10.8/12kg
106100102110	PH20-2.0x1pc	1pc	72x41x32cm	4pcs/CTN	14/15kg

PTR20H-330A		CORDLESS TRIMMER	
		Voltage:	20V
		Speed:	5500r/min
		Specification:	330mm(13")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106100201010	/	/	102x13.5x23cm	1pc/CTN	3.5/4.5kg
106100202110	PH20-4.0x1pc	1pc	102x13.5x23cm	1pc/CTN	4.5/5.5kg

PTR20H-380A		CORDLESS TRIMMER	
		Voltage:	20V+20V
		Speed:	6500r/min
		Specification:	380mm(15")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106100301010	/	/	112x13.5x23cm	1pc/CTN	4.5/5.5kg
106100302210	PH20-4.0x2pcs	1pc	112x13.5x23cm	1pc/CTN	6.5/7.5kg

PTR20H-330B		CORDLESS TRIMMER	
		Voltage:	20V
		Speed:	5500r/min
		Specification:	330mm(13")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106100401010	/	/	102x13.5x23cm	1pc/CTN	4.5/5.5kg
106100402110	PH20-4.0x1pc	1pc	102x13.5x23cm	1pc/CTN	5.5/6.5kg

PTR20H-380B		CORDLESS TRIMMER	
		Voltage:	20V+20V
		Speed:	6500r/min
		Specification:	380mm(15")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106100501010	/	/	112x13.5x23cm	1pc/CTN	5.5/6.5kg
106100502210	PH20-4.0x2pcs	1pc	112x13.5x23cm	1pc/CTN	7/8kg

PTR20H-380C		CORDLESS TRIMMER	
		Voltage:	20V+20V
		Speed:	6000r/min
		Specification:	380mm(15")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106100601210	PH20-4.0x2pcs	/	112x16x25.5cm	1pc/CTN	12/13kg

PLM20H-330B CORDLESS BRUSHLESS LAWN MOWER



Voltage:	20V
Speed:	3300r/min
Specification:	330mm(13")
Mowing Height:	25-75mm
Grass Collection Capacity:	30L



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106200101010	/	/	69x41x33,5cm	1pc/CTN	11/12,5kg
106200102110	PH20-4,0x2pcs	1pc	69x41x33,5cm	1pc/CTN	12/13,5kg

PLM20H-380B CORDLESS BRUSHLESS LAWN MOWER



Voltage:	20V+20V
Speed:	3300r/min
Specification:	380mm(15")
Mowing Height:	25-75mm
Grass Collection Capacity:	35L



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106200201010	/	/	70,5x43,5x38cm	1pc/CTN	12/13,5kg

NEW! PLM20H-430A CORDLESS BRUSHLESS LAWN MOWER



Voltage:	20V+20V
Speed:	3300r/min
Specification:	430mm(17")
Mowing Height:	25-75mm
Grass Collection Capacity:	50L



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	x2pcs	1pc	/	1pc/CTN	/

NEW! PLM20H-430B CORDLESS BRUSHLESS LAWN MOWER



Voltage:	20V+20V
Speed:	3300r/min
Specification:	430mm(17")
Mowing Height:	25-75mm
Grass Collection Capacity:	40L



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
105800201010	x2pcs	1pc	/	1pc/CTN	/



PDJ20H-300A CORDLESS PRUNER



Voltage:	20V
Speed:	60spm
Specification:	0-25mm(0-1")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
102000101010	/	/	60x32,5x18,5cm	10pcs/CTN	12/13kg



PKE20H-100A MINI CORDLESS CHAIN SAW



Voltage:	20V
Specification:	100mm(4")
Chain Speed:	4,8m/s
Speed:	3500r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106300101010	/	/	66,5x37,5x26cm	10pcs/CTN	10/11kg

PKE20H-150A MINI CORDLESS CHAIN SAW



Voltage:	20V
Specification:	150mm(6")
Chain Speed:	6,5m/s
Speed:	3100r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106300201010	/	/	46,5x35,5x40cm	8pcs/CTN	13/14kg

NEW! PKE20H-150B MINI CORDLESS CHAIN SAW




Voltage:	20V
Specification:	150mm(6")
Chain Speed:	8,0m/s
Speed:	5000r/min



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/

NEW! PKE20H-200A MINI CORDLESS CHAIN SAW



Voltage:	20V
Specification:	200mm(8")
Chain Speed:	8,0m/s
Speed:	5000r/min
Oil Tank Volume:	50ml



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/



PKE20H-300A CORDLESS CHAIN SAW



Voltage:	20V
Specification:	305mm(12")
Chain Speed:	5.0m/s
Speed:	2600r/min
Oil Tank Volume:	300ml



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106300301010	/	/	47.5x47x25cm	2pcs/CTN	8/9kg

PHE20H-200A 2 IN 1 HEDGE TRIMMER

NEW!



Voltage:	20V
Specification:	200mm/120mm(8"/5")
Cut Capacity:	8mm(5/16")
Speed:	1200spm



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	x2pcs	1pc	/	1pc/CTN	/

PKE20H-405A CORDLESS CHAIN SAW



Voltage:	20V+20V
Specification:	405mm(16")
Chain Speed:	20.0m/s
Speed:	11000r/min
Oil Tank Volume:	260ml



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106300401010	/	/	49.5x25x48cm	2pcs/CTN	9/10kg

PHE20H-450A CORDLESS HEDGE TRIMMER



Voltage:	20V
Strokes Per Minute:	1100spm
Max. cutting Length:	450mm(18")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106700101010	/	/	93x42x23cm	4pcs/CTN	10/11kg

P0001-02



CORDLESS ANGLE GRINDER AND DRILL COMBO KIT

Model:	PWS20H-125D	Model:	PSB20H-10C
Voltage:	20V	Voltage:	20V
Specification:	125mm(5")	Torque:	40N·m
Speed:	4500/6500/8000r/min	Speed:	0-450/0-1450r/min
Throwing Distance:	M14	Specification:	Ø10mm (3/8")
		Torque Setting:	20+3



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
108700101010	2pcs	1pc	46.5x32.5x38cm	2set/CTN	13.5/15

P0002-02



CORDLESS HAMMER AND DRILL COMBO KIT

Model:	PBM20H-10B	Model:	PBH20H-18A
Voltage:	20V	Voltage:	20V
Torque:	30N·m	Speed:	0-1000r/min
Speed:	0-450/0-1450r/min	Impact Rate:	0-5500ipm
Specification:	Ø10mm (3/8")	Impact Energy:	1.4J
		Specification:	Ø16mm (5/8")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
108700201010	2pcs	1pc	46.5x27x38cm	2set/CTN	18/19.5kg

P0003-02



CORDLESS HAMMER AND IMPACT WRENCH COMBO KIT

Model:	PBH20H-22B	Model:	PIW20H-300B
Voltage:	20V	Voltage:	20V
Speed:	0-1350r/min	Torque:	300N·m
Impact Rate:	0-4700ipm	Speed:	0-1200/0-1900/0-2400r/min
Impact Energy:	1.8J	Impact Rate:	3600ipm
Specification:	Ø22mm (7/8")	Specification:	12.7mm(1/2")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
108700301010	2pcs	1pc	46.5x32.5x38cm	2set/CTN	13.5/15kg

P0005-03



CORDLESS ANGLE GRINDER HAMMER AND DRILL COMBO KIT

Model:	PWS20H-125D	Model:	PBH20H-22B	Model:	PSB20H-10C
Voltage:	20V	Voltage:	20V	Voltage:	20V
Specification:	125mm(5")	Speed:	0-1350r/min	Torque:	40N·m
Speed:	4500/6500/8000r/min	Impact Rate:	0-4700ipm	Speed:	0-450/0-1500r/min
Throwing Distance:	M14	Impact Energy:	1.8J	Specification:	Ø10mm (3/8")
Torque Setting:	20+1	Specification:	Ø22mm (7/8")	Torque Setting:	20+1



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
108700401010	2pcs	1pc	46.5x38.2x38cm	1set/CTN	9.5/11kg



MORE POWER & RUN-TIME

A battery is used for all tools of P.I.T. 40V platform. From drilling to cutting, from metal processing to carpentry, from gardening to cleaning, and from professional to DIY, you can enjoy wireless freedom outdoors, in the studio, in the workshop or at home. The battery is compatible with the entire 40V platform series of products. At the time of purchase, you can choose to buy tools without batteries. You can buy more products at a lower cost without having to pay for unnecessary batteries and chargers. Based on existing platform, we never intend to stop moving forward. We will continue to add a variety of innovative and practical tools to our platform product line, because our target is to help you complete your work faster and easier.

PH40301 LITHIUM ION BATTERY

NEW!



Voltage:	40V
capacity:	3000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH40601 LITHIUM ION BATTERY

NEW!



Voltage:	40V
capacity:	6000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

PH40401 LITHIUM ION BATTERY

NEW!



Voltage:	40V
capacity:	4000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
105101001010	37.5x20x32cm	16/CTN	16/19.2

PH40801 LITHIUM ION BATTERY

NEW!



Voltage:	40V
capacity:	8000mAh



Product No.	Outer Carton Size	Qty	N.W / G.W
/	/	/	/

MORE TOOLS FIT | MORE POWER | MORE RUN-TIME



PRS40G-610A SNOW THROWER

NEW!



Voltage:	40V+40V
Clearing Width:	610mm(24")
Clearing Height:	350mm(14")
Throwing Distance:	12m



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/

PRS40G-530A SNOW BLOWER

NEW!



Voltage:	40V+40V
Clearing Width:	530mm(21")
Clearing Height:	300mm(12")
Throwing Distance:	6m



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/

PLM40G-460A CORDLESS BRUSHLESS LAWN MOWER

NEW!



Voltage:	40V
Speed:	2800r/min
Specification:	460mm(18")
Mowing Height:	25-75mm
Grass Collection Capacity:	50L



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
106000101010	/	/	/	/	/

PRS40G-500A SNOW BLOWER

NEW!



Voltage:	40V
Clearing Width:	508mm(20")
Clearing Height:	300mm(12")
Throwing Distance:	7m



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/

PKE40G-400A CORDLESS CHAIN SAW

NEW!



Voltage:	40V
Specification:	405mm(16")
Chain Speed:	25m/s
Oil Tank Volume:	200ml



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	PH40401x1pc	1pc	/	2pcs/CTN	/

PLM40G-510A CORDLESS LAWN MOWER

NEW!



Voltage:	40V
Speed:	2500r/min
Specification:	510mm(20")
Mowing Height:	30-90mm
Grass Collection Capacity:	50L



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	PH40801x1pc	1pc	/	1pc/CTN	/





PSR18-D7 CORDLESS DRILL



Voltage:	20V
Torque:	30N·m
Speed:	0-350/0-1350r/min
Impact Energy:	Ø10mm (3/8")
Torque Setting:	20+1



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101500501110	PN20-2.0x1pc	1pc	47.5x28x23.5cm	8pcs/CTN	12.5/13.5kg
101500502210	PN20-2.0x2pc	1pc	51x30x27cm	6pcs/CTN	14/15kg

PD03P3.6-006 CORDLESS SCREWDRIVER



Voltage:	3.6V
Speed:	0-180r/min
Torque:	3.5N·m
Specification:	6.35mm(1/4")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101800401010	/	/	40x31x40.5cm	20pcs/CTN	12.5/13.5kg

PBM10-C ELECTRIC POWER DRILL



Voltage/frequency:	220-240V~50/60Hz
Speed:	0-3300r/min
Specification:	Ø10mm (3/8")



Product No.	Outer Carton Size	Qty	N.W / G.W
101300401010	51.5x37x26cm	10pcs/CTN	15.5/16.5kg

PSR18-D8 CORDLESS DRILL



Voltage:	20V
Torque:	40N·m
Speed:	0-450/0-1500r/min
Impact Energy:	Ø10mm (3/8")
Torque Setting:	20+1



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101500601110	PN20-2.0x1pc	1pc	50.2x30.8x23.5cm	8pcs/CTN	13.5/14.5kg
101500602210	PN20-2.0x2pc	1pc	51.5x30x27cm	5pcs/CTN	13/14kg

PES3.6P-24A CORDLESS SCREWDRIVER



Voltage:	3.6V
Speed:	0-180r/min
Torque:	2N·m
Specification:	6.35mm(1/4")



Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101800501010	/	/	46,5x25x22cm	20pcs/CTN	9/10kg

PBM10-C3 TORQUE DRILL



Voltage/frequency:	220-240V~50/60Hz
Speed:	0-550/0-1850r/min
Specification:	Ø10mm (3/8")
Torque Setting:	18+1



Product No.	Outer Carton Size	Qty	N.W / G.W
101300901010	52x38.5x26cm	10pcs/CTN	18/18.5kg

PBM10-C4 TORQUE DRILL



Voltage/frequency:	220-240V~50/60Hz
Speed:	0-1000r/min
Specification:	Ø10mm (3/8")
Torque Setting:	18+1



Product No.	Outer Carton Size	Qty	N.W / G.W
101301001010	52x38.5x26cm	10pcs/CTN	17/18kg

PSB13-C6 ELECTRIC IMPACT DRILL



Voltage/frequency:	220-240V~50/60Hz
Speed:	0-3000r/min
Specification:	Ø13mm (1/2")
Impact Energy:	48000ipm



Product No.	Outer Carton Size	Qty	N.W / G.W
101400601010	39x30.5x26.5cm	5pcs/CTN	9.5/10.5kg

PSB16-C1 ELECTRIC IMPACT DRILL



Voltage/frequency:	220-240V~50/60Hz
Speed:	0-1400/0-2800r/min
Specification:	Ø16mm (5/8")
Impact Energy:	0-22400/0-44800bpm



Product No.	Outer Carton Size	Qty	N.W / G.W
101400901010	44.5x43.5x24cm	4pcs/CTN	15/17kg

P0010001 ELECTRIC DRILL FRAME



Material:	Aluminum Alloy
Maximum Stroke:	60mm
Max.drilling Depth:	60mm
Chuck Diameter:	50mm

Product No.	Outer Carton Size	Qty	N.W / G.W
106400201010	36.5x32x54cm	8pcs/CTN	25.5/26.5kg

PSB13-C2 ELECTRIC IMPACT DRILL



Voltage/frequency:	220-240V~50/60Hz
Speed:	0-3000r/min
Specification:	Ø13mm (1/2")
Impact Energy:	48000ipm



Product No.	Outer Carton Size	Qty	N.W / G.W
101400501010	38.5x31.5x29.5cm	5pcs/CTN	10.5/11.5kg

PSB13-C8 ELECTRIC IMPACT DRILL



Voltage/frequency:	220-240V~50/60Hz
Speed:	0-3000r/min
Specification:	Ø13mm (1/2")
Impact Energy:	48000ipm



Product No.	Outer Carton Size	Qty	N.W / G.W
101400801010	42x33.5x28.5cm	5pcs/CTN	12.5/13.5kg

PIW1100-C ELECTRIC IMPACT WRENCH



Voltage/frequency:	220-240V~50/60Hz
Speed:	0-2200r/min
Torque:	450N·m



Product No.	Outer Carton Size	Qty	N.W / G.W
101600501010	60x38x29cm	5pcs/CTN	25/26kg

P0010002 ELECTRIC DRILL FRAME



Material:	Aluminum Alloy
Maximum Stroke:	60mm
Max.drilling Depth:	60mm
Chuck Diameter:	40mm

Product No.	Outer Carton Size	Qty	N.W / G.W
106400301010	61x35x31.5cm	20pcs/CTN	24.5/24.5kg



PWS115-C1 **ANGLE GRINDER**

NEW!



Voltage/frequency:	220-240V~50/60Hz
Specification:	Ø115mm(4-1/2")
Speed:	11000r/min
Throwing Distance:	M14

800W **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100300601010	34.5x34x24cm	6pcs/CTN	12/13kg

PWS125-C8 **ANGLE GRINDER**

NEW!



Voltage/frequency:	220-240V~50/60Hz
Specification:	Ø125mm(5")
Speed:	11000r/min
Throwing Distance:	M14

800W **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100301101010	34.5x34x24cm	6pcs/CTN	12/13kg

PWS125-C11 **ANGLE GRINDER**

NEW!



Voltage/frequency:	220-240V~50/60Hz
Specification:	Ø125mm(5")
Speed:	3500-11000r/min
Throwing Distance:	M14

 **950W** **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100301401010	36.5x32.5x25.5cm	6pcs/CTN	12.5/13.5kg

PWS125-C13 **ANGLE GRINDER**

NEW!



Voltage/frequency:	220-240V~50/60Hz
Specification:	Ø125mm(5")
Speed:	3000-11000r/min
Throwing Distance:	M14

 **1200W** **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100301501010	34.5x25x34cm	6pcs/CTN	14.5/15.5kg

PWS125-C7 **ANGLE GRINDER**



Voltage/frequency:	220-240V~50/60Hz
Specification:	Ø125mm(5")
Speed:	11000r/min
Throwing Distance:	M14

 **1200W** **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100301001010	45x19.5x27cm	4pcs/CTN	10/11kg

PWS125-C10 **ANGLE GRINDER**

NEW!



Voltage/frequency:	220-240V~50/60Hz
Specification:	Ø125mm(5")
Speed:	11000r/min
Throwing Distance:	M14

950W **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100301301010	36.5x32.5x25.5cm	4pcs/CTN	12.5/13.5kg

PWS125-C12 **ANGLE GRINDER**

NEW!



Voltage/frequency:	220-240V~50/60Hz
Specification:	Ø125mm(5")
Speed:	3500-11000r/min
Throwing Distance:	M14

 **1000W** **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100301601010	36.5x32.5x25.5cm	6pcs/CTN	13/14kg

PWS125-C14 **ANGLE GRINDER**

NEW!



Voltage/frequency:	220-240V~50/60Hz
Specification:	Ø125mm(5")
Speed:	3000-11000r/min
Throwing Distance:	M14

 **1400W** **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
/	34.5x25x34cm	6pcs/CTN	14.5/15.5kg

PWS150-C1ANGLE GRINDER



Voltage/frequency:	220V~/50Hz
Specification:	Ø150mm(6")
Speed:	3000-9000r/min
Throwing Distance:	M14



1260WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100301701010	45x19.5x27cm	4pcs/CTN	11/12kg

PWS230-C3ANGLE GRINDER



Voltage/frequency:	220V~/50Hz
Specification:	Ø230mm(9")
Speed:	6500r/min
Throwing Distance:	M14



2400WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100302001010	55x26.5x19cm	2pcs/CTN	10/11kg

P0010003ANGLE GRINDER FRAME



Material:	Aluminum Alloy
Maximum Stroke:	60mm
Max.cutting Capacity:	30mm
Applicable Models:	100-125mm

Product No.	Outer Carton Size	Qty	N.W / G.W
106400401010	41x39x28.5cm	8pcs/CTN	23/24kg

P0010007ANGLE GRINDER FRAME



Material:	Aluminum Alloy
Maximum Stroke:	85mm
Max.cutting Capacity:	35mm
Applicable Models:	180-230mm

Product No.	Outer Carton Size	Qty	N.W / G.W
106400601010	58x31.5x32cm	4pcs/CTN	23.5/25kg

PWS180-C1ANGLE GRINDER



Voltage/frequency:	220V~/50Hz
Specification:	Ø180mm(7")
Speed:	8500r/min
Throwing Distance:	M14



1700WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100301801010	49x24.5x31.5cm	4pcs/CTN	16/17kg

PWS230-C4ANGLE GRINDER



Voltage/frequency:	220V~/50Hz
Specification:	Ø230mm(9")
Speed:	6500r/min
Throwing Distance:	M14



2500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100302101010	55x26x17.5cm	2pcs/CTN	10.5/11.5kg

P0010004ANGLE GRINDER FRAME



Material:	Aluminum Alloy
Maximum Stroke:	90mm
Max.cutting Capacity:	60mm
Applicable Models:	100-150mm

Product No.	Outer Carton Size	Qty	N.W / G.W
106400501010	61x29x34cm	6pcs/CTN	18.5/20kg

PDP16-CBENCHTOP DRILL PRESS



Voltage/frequency:	220-240V~50/60Hz
Speed:	300-2550r/min
Speed Level:	12
Specification:	Ø16mm(5/8")



550WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
108800101010	66.5x41x26cm	1pc/CTN	24.5/26.5kg



PP0125-C1POLISHER



Voltage/frequency:	220V~/50Hz
Specification:	Ø125mm(5")
Speed:	3000-11000r/min
Throwing Distance:	M14



1200WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100400301010	45x21.5x29cm	4pcs/CTN	11/12kg

PWC125-CELECTRIC WALL CHASER



Voltage/frequency:	220V~/50Hz
Specification:	Ø125mm(5")
Speed:	9000r/min
Cutting Depth:	0-30mm
Cutting Width:	3-30mm



1400WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101900201010	49x32x17cm	2pcs/CTN	8.5/9.5kg

PWC150-CELECTRIC WALL CHASER



Voltage/frequency:	220V~/50Hz
Specification:	Ø150mm(6")
Speed:	8000r/min
Cutting Depth:	0-35mm
Cutting Width:	3-30mm



1700WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101900301010	49.5x34x18.5cm	4pcs/CTN	10.5/11.5kg

PP0180-C1POLISHER



Voltage/frequency:	220V~/50Hz
Specification:	Ø180mm(7")
Speed:	600-3500r/min
Throwing Distance:	M14



1400WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100400401010	47x29x34cm	4pcs/CTN	14.5/15.5kg

PWC135-CELECTRIC WALL CHASER



Voltage/frequency:	220-240V~50/60Hz
Specification:	Ø135mm(5.5")
Speed:	7500r/min
Cutting Depth:	0-38mm
Cutting Width:	3-30mm



2400WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101900201010	/	/	/



PWG125-C CONCRETE GRINDER



Voltage/frequency:	220V~/50Hz
Specification:	Ø125mm(5")
Speed:	3000-9000r/min

1400W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100500101010	45x32x28cm	4pcs/CTN	13.5/14.5kg

PWG180-C CONCRETE GRINDER



Voltage/frequency:	220V~/50Hz
Specification:	Ø180mm(7")
Speed:	900-2100r/min

810W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100500201010	49.5x34x55cm	4pcs/CTN	16.5/17.5kg

PWG230-C CONCRETE GRINDER



Voltage/frequency:	220V~/50Hz
Specification:	Ø225mm(9")
Speed:	900-2100r/min



900W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100500301010	78x31x44cm	2pcs/CTN	14.5/15.5kg



PWP120-C BURNISHING POLISHER



Voltage/frequency:	220V~/50Hz
Specification:	Ø120x100mm(4-3/4"x4")
Speed:	600-3500r/min

1400W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100600101010	48x41x15cm	2pcs/CTN	8/9kg

PWP120-C1 BURNISHING POLISHER



Voltage/frequency:	220V~/50Hz
Specification:	Ø120x100mm(4-3/4"x4")
Speed:	600-3500r/min



1500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100600201010	49x44x15cm	2pcs/CTN	10/11kg



PBH24-C3
NEW!



SDS-PLUS HAMMER DRILL	
Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	0-4850ipm
Impact Energy:	2.8J
Speed:	0-900r/min
Specification:	Ø24mm (15/16")

620W **Powerful Efficient**

Product No.	Attachment	Outer Carton Size	Qty	N.W / G.W
100100801010	/	41x39x27cm	4pcs/CTN	14/15kg
100100802010	/	45x36x29.5cm	3pcs/CTN	14.5/15.5kg
100100805010	Drill chucksx1pc	45x36x29.5cm	3pcs/CTN	16/17kg

PBH26-C9
NEW!



SDS-PLUS HAMMER DRILL	
Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	0-5100ipm
Impact Energy:	3.2J
Speed:	0-1240r/min
Specification:	Ø26mm (1")

800W **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100101301010	44x35x30cm	3pcs/CTN	14/15kg

PBH26-C7
NEW!



SDS-PLUS RATORY HAMMER DRILL	
Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	4250ipm
Input Power:	4J
Speed:	865r/min
Specification:	Ø26mm (1")

1010W **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100101701010	52.5x41.5x31.5cm	4pcs/CTN	26.3/27.3kg

PBH32-C6
NEW!



SDS-PLUS RATORY HAMMER DRILL	
Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	4250ipm
Impact Energy:	6J
Speed:	920r/min
Specification:	Ø32mm (1-1/4")

1500W **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100102201010	51.5x29.5x37.8cm	2pcs/CTN	16/17kg

PBH26-C8
NEW!



SDS-PLUS HAMMER DRILL	
Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	0-4800ipm
Impact Energy:	3.2J
Speed:	0-1300r/min
Specification:	Ø26mm (1")

800W **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100101201010	45x36x29.5cm	3pcs/CTN	15.5/16.5kg



PBH28-C6
NEW!



SDS-PLUS RATORY HAMMER DRILL	
Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	4200ipm
Impact Energy:	4.8J
Speed:	850r/min
Specification:	Ø28mm (1-1/8")

1300W **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100101901010	51.5x29.5x37.8cm	2pcs/CTN	14.9/15.9kg

PBH40-C3
NEW!



SDS-MAX RATORY HAMMER DRILL	
Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	3800ipm
Impact Energy:	10J
Speed:	630r/min
Specification:	Ø42mm (1-5/8")

1600W **Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
100102401010	54x32.5x37.3cm	2pcs/CTN	21.8/22.8kg

GSH25-C2

NEW!



ELECTRIC DEMOLITION HAMMER

Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	4100ipm
Impact Energy:	15J
Chuck Type:	SDS-MAX



1300W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100200301010	51.5x29.5x37.8cm	2pcs/CTN	17.4/18.4kg

GSH25-C3

NEW!



ELECTRIC DEMOLITION HAMMER

Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	3900ipm
Impact Energy:	12J
Chuck Type:	HEX-Gan



1300W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100201401010	56x30.5x37.8cm	2pcs/CTN	19.2/20.2kg

GSH65-C7

NEW!



ELECTRIC DEMOLITION HAMMER

Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	2100ipm
Impact Energy:	45J
Chuck Type:	SDS-MAX



1700W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100200901010	79.2x20.5x37.3cm	1pc/CTN	12/17.4kg

GSH65-C8

NEW!



HEX SHANK DEMOLITION BREAKER HAMMER


Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	2000ipm
Impact Energy:	60J
Chuck Type:	HEX-Gan



1700W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100201001010	79.2x20.5x37.3cm	1pc/CTN	14.6/22.6kg



GSH65-C9

NEW!



HEX SHANK DEMOLITION BREAKER HAMMER

Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	2000ipm
Impact Energy:	65J
Chuck Type:	HEX-Gan



1700W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100201101010	79.2x20.5x37.3cm	1pc/CTN	16.2/24.7kg

P31035



CONCRETE VIBRATOR

Voltage/frequency:	220-240V~50/60Hz
Speed:	5000r/min
Specification:	Ø35mmx1.5m



1100W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103500401010	47x34x18.5cm	5pcs/CTN	12.5/13kg

AMAS16-01535



CONCRETE VIBRATOR ROD

Specification:	Ø35mmx1.5m
----------------	------------

Product No.	Outer Carton Size	Qty	N.W / G.W
206200201000	/	10pcs/CTN	37/37kg

AMAS16-06035



CONCRETE VIBRATOR ROD

Specification:	Ø35mmx6m
----------------	----------

Product No.	Outer Carton Size	Qty	N.W / G.W
206200401000	/	2pcs/CTN	23/23kg

GSH90-C3

NEW!



HEX SHANK DEMOLITION BREAKER HAMMER

Voltage/frequency:	220-240V~50/60Hz
Impact Rate:	2000ipm
Impact Energy:	70J
Chuck Type:	HEX-Gan



1700W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100201301010	79.2x20.5x37.3cm	1pc/CTN	16.2/24.2kg

PMV50-C



CONCRETE VIBRATOR

Voltage/frequency:	220-240V~50/60Hz
Speed:	2800r/min
Specification:	Ø35mmx4m



1500W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103500201010	37x19x28cm	1pc/CTN	9/10kg

AMAS16-0435



CONCRETE VIBRATOR ROD

Specification:	Ø35mmx4m
----------------	----------

Product No.	Outer Carton Size	Qty	N.W / G.W
206200101000	/	2pcs/CTN	16/16kg

PCP91-G

NEW!



CEMENT PUSHING MACHINE

Displacement:	163CC
Speed	60-165r/min
Rotation Diameter	Ø91cm
Protective Disc Diameter	Ø94cm



4000W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107500101010	100x100x76cm	1pc/CTN	90/110kg



PST70-C2 JIG SAW



Voltage/frequency:	220-240V~50/60Hz
Speed:	1000-3000spm
Max.cutting Capacity:	70mm(2-3/4")

700W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102400401010	44.5x29.8x23.5cm	5pcs/CTN	11.6/12.6kg

PST110-C JIG SAW



Voltage/frequency:	220-240V~50/60Hz
Speed:	1000-3100spm
Max.cutting Capacity:	110mm(4-11/32")

750W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102400701010	45.5x38.5x24cm	5pcs/CTN	17/18.5kg

PSA115-C1 RECIPROCATING SAW



Voltage/frequency:	220V~/50Hz
Speed:	0-2800spm
Saw Blade Stroke:	20mm(13/16")

1000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102600201010	50x36x20.5cm	4pcs/CTN	10.5/11.5kg

PST90-C2 JIG SAW



Voltage/frequency:	220-240V~50/60Hz
Speed:	1000-3200spm
Max.cutting Capacity:	100mm(4")

900W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102400601010	44.5x29.8x23.5cm	5pcs/CTN	11.3/12.3kg

PST135-C JIG SAW

NEW!



Voltage/frequency:	220-240V~50/60Hz
Speed:	1000-3000spm
Max.cutting Capacity:	135mm(5-5/16")

750W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102400801010	36.5x31.2x24cm	4pcs/CTN	12.5/13kg

PSA1200-C1 RECIPROCATING SAW



Voltage/frequency:	220V~/50Hz
Speed:	0-2900spm
Saw Blade Stroke:	29mm(1-1/8")

1200W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102600301010	53x40x20cm	4pcs/CTN	13.5/14.5kg





PKS185-C4		CIRCULAR SAW	
		Voltage/frequency:	220V~/50Hz
		Specification:	Ø185mm(7-5/16")
		Speed:	5500r/min



1200W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102500501010	50.5x34.5x40cm	4pcs/CTN	17/18kg

PKS210-C		CIRCULAR SAW	
		Voltage/frequency:	220V~/50Hz
		Specification:	Ø210mm(8-1/4")
		Speed:	5100r/min



2000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102500701010	66.5x43x22cm	2pcs/CTN	16/17kg

PTC180-C		TABLE SAW	
		Voltage/frequency:	220-240V~50/60Hz
		Specification:	Ø180x22mm(7"x7/8")
		Speed:	2950r/min



650W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102900101010	37x34x19cm	1pc/CTN	10.5/11kg

PKS200-C		CIRCULAR SAW	
		Voltage/frequency:	220V~/50Hz
		Specification:	Ø200mm(8")
		Speed:	5500r/min



2000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102500601010	60.5x38x18.5cm	2pcs/CTN	15/15.5KG

PKS235-C		CIRCULAR SAW	
		Voltage/frequency:	220V~/50Hz
		Specification:	Ø235mm(9-1/4")
		Speed:	4500r/min



2200W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102500801010	63.5x43x21cm	2pcs/CTN	18.5/19kg

PTS200-C		TABLE SAW	
		Voltage/frequency:	220-240V~50/60Hz
		Specification:	Ø200x16mm(8"x5/8")
		Speed:	2950r/min



850W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103000101010	51.5x34.5x26cm	1pc/CTN	10/11kg

PKS165-C		CIRCULAR SAW	
		Voltage/frequency:	220-240V~50/60Hz
		Specification:	Ø165mm(6-1/2")
		Speed:	5500r/min



1200W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102500901010	50x33.5x41cm	4pcs/CTN	17/18kg

PKS185-C3		CIRCULAR SAW	
		Voltage/frequency:	220-240V~50/60Hz
		Specification:	Ø185mm(7-5/16")
		Speed:	5500r/min



1400W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102500401010	52x34x41cm	4pcs/CTN	17.5/18.5kg

PKS115-C		MARBLE CUTTING MACHINE	
		Voltage/frequency:	220V~/50Hz
		Specification:	Ø115mm(4-1/2")
		Speed:	13000r/min



1400W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102300101010	46x24.5x38cm	4pcs/CTN	14/15kg





PBS75-C1BELT SANDER

Voltage/frequency:	220V~/50Hz
Specification:	533x76mm(51"x3")
Speed:	200~3800r/min



900WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100700301010	38x36x38.5cm	4pcs/CTN	14/15kg

PDS125-C1RANDOM ORBITAL SANDER

Voltage/frequency:	220V~/50Hz
Specification:	125mm(5")
Speed:	4000~13500r/min
Eccentricity:	5mm



430WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100800301010	31x28x38.5cm	4pcs/CTN	10.2/10.7kg

PDS125-CRANDOM ORBITAL SANDER

Voltage/frequency:	220V~/50Hz
Specification:	125mm(5")
Speed:	6000~ 12000r/min
Eccentricity:	2mm



500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100800201010	52x31x40cm	8pcs/CTN	17.5/18.5kg

PDS150-CRANDOM ORBITAL SANDER

Voltage/frequency:	220V~/50Hz
Specification:	150mm(6")
Speed:	6000~12000r/min
Eccentricity:	2mm



500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100800401010	62x31x41cm	8pcs/CTN	17.5/18.5kg

PEP82-CELECTRIC PLANER

Voltage/frequency:	220V~/50Hz
Specification:	82x2mm(3-1/4"x5/64")
Speed:	16800r/min



650WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102700201010	50x32x37cm	6pcs/CTN	17/19kg

PEP82-C1NEW!ELECTRIC PLANER

Voltage/frequency:	220V~/50Hz
Specification:	82x3mm(3-1/4"x7/64")
Speed:	16000r/min



900WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102700301010	36.5x35.5x44.5cm	4pcs/CTN	13/14kg

PEP110-CELECTRIC PLANER

Voltage/frequency:	220V~/50Hz
Specification:	110x3.5mm(4-1/4"x9/64")
Speed:	15000r/min



1500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102700401010	39.5x38.8x42cm	4pcs/CTN	17.6/18.6kg

PEP110-C1ELECTRIC PLANER

Voltage/frequency:	220V~/50Hz
Specification:	110x3.5mm(4-1/4"x9/64")
Speed:	15000r/min



1500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102700501010	/	/	/

PSP100-CSHEET SANDER

Voltage/frequency:	220V~/50Hz
Specification:	110x100mm(4-1/4"x4")
Speed:	14000r/min
Eccentricity:	1.6mm



240WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100900201010	41.5x26x31cm	8pcs/CTN	12/13kg

PSP100-C1SHEET SANDER

Voltage/frequency:	220V~/50Hz
Specification:	110x100mm(4-1/4"x4")
Speed:	13500r/min
Eccentricity:	1.4mm



300WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100900301010	38.5x27x33cm	8pcs/CTN	11.8/12.5kg

PSP300-CSHEET SANDER

Voltage/frequency:	220V~/50Hz
Specification:	187x90mm(7-1/2"x3-1/2")
Speed:	6000~11000r/min
Eccentricity:	1.6mm



300WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100900401010	46x33x38.5cm	8pcs/CTN	16/17kg

PSP400-C1SHEET SANDER

Voltage/frequency:	220V~/50Hz
Specification:	115x230mm(4-1/2"x9")
Speed:	6000~11000r/min
Eccentricity:	2.5mm



400WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
100900501010	41.5x36.5x41cm	8pcs/CTN	16/17.1kg



PER8-C ELECTRIC ROUTER



Voltage/frequency:	220V~/50Hz
Specification:	8mm (5/16")
Speed:	16000~30000r/min

1400W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102800201010	56x32.5x24cm	4pcs/CTN	16/17kg

PER12-C ELECTRIC ROUTER



Voltage/frequency:	220V~/50Hz
Specification:	12mm(1/2")
Speed:	6000~22000r/min

2100W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102800301010	36.5x32.5x32cm	2pcs/CTN	12/12.5kg

PDJ250-C GAUGE SHEAR



Voltage/frequency:	220V~/50Hz
Speed:	2600spm
Collet Chuck Size:	Ø2.5mm(3/32")

500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102000201010	33.5x33.5x37cm	8pcs/CTN	20.5/21.5kg

PMT350-C1 OSCILLATING MULTI TOOL



Voltage/frequency:	220V~/50Hz
Speed:	15000~22000opm

350W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
102100301010	35x34x20.5cm	6pcs/CTN	9.5/10kg

PST6001-C ELECTRIC BRAD NAILER



Voltage/frequency:	220V~/50Hz
Speed:	20pcs/min
Specification:	Type: 15~25mm Type: 15~32mm

1400W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103800301010	44x35.5x34cm	5pcs/CTN	14.5/15kg



PMS210-C MITER SAW



Voltage/frequency:	220V-240V~50Hz/60Hz
Speed:	0~4900r/min
Specification:	Ø210mm(8-1/4")

1400W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103200301010	53x34x30.5cm	1pc/CTN	7/8.5kg

PCM210-C MITER SAW



Voltage/frequency:	220V~/50Hz
Speed:	3500/4900r/min
Specification:	Ø210mm(8-1/4")

1700W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103200401010	83x48.5x29cm	1pc/CTN	10/12.5kg

PCM255-C MITER SAW



Voltage/frequency:	220V~/50Hz
Speed:	4600r/min
Specification:	Ø255mm(10")

2000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103200501010	56.5x44.5x43cm	1pc/CTN	12.5/14.5kg

PCM255-C3 MITER SAW



Voltage/frequency:	220V~/50Hz
Speed:	3200/4500r/min
Specification:	Ø255mm(10")

2000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103200701010	81.5x48x40.5cm	1pc/CTN	16/17.5kg

PCM355-CABRASIVE CUT-OFF SAW



Voltage/frequency:	220V~/50Hz
Specification:	Ø355mm(14")
Speed:	3800r/min

2400WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103300101010	53.5x29x39.5cm	1pc/CTN	12/13.5kg

PCM355-C2ABRASIVE CUT-OFF SAW



Voltage/frequency:	220V~/50Hz
Specification:	Ø355mm(14")
Speed:	3800r/min

2600WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103300301010	53x32x41.5cm	1pc/CTN	15.5/16.5kg

PHG2000-CHEAT GUN



Voltage/frequency:	220V~/50Hz
Temperature:	50°C~600°C
Air Flow:	300~500L/min

2000WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103700301010	58.5x37x30cm	5pcs/CTN	10.5/11.5kg

PEC20-DHOT MELT GLUE GUN



Voltage/frequency:	220V~/50Hz
Specification:	7mm (1/4")

20WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104100501010	44x32x77cm	96pcs/CTN	15/16.5kg

PCM355-C1ABRASIVE CUT-OFF SAW



Voltage/frequency:	220V~/50Hz
Specification:	Ø355mm(14")
Speed:	3800r/min

2500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103300201010	57x31x42cm	1pc/CTN	16/17.5kg

PHG2000-DHEAT GUN



Voltage/frequency:	220V~/50Hz
Temperature:	350°C~600°C
Air Flow:	300/500L/min

2000WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103700201010	40x25x48cm	10pcs/CTN	9/10kg

PHG2001-CHEAT GUN



Voltage/frequency:	220V~/50Hz
Temperature:	50°C/50°C~650°C
Air Flow:	250~500L/min

2000WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103700401010	58.5x37x30cm	5pcs/CTN	10.5/11.5kg

PEC100-CHOT MELT GLUE GUN



Voltage/frequency:	220V~/50Hz
Specification:	11mm (7/16")

100WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104100601010	59x46x40cm	48pcs/CTN	13.2/15kg

PBG125-C2BENCH GRINDER



Voltage/frequency:	220-240V~50/60Hz
Specification:	125mm(5")
Frequency/Speed:	50Hz:2950r/min 60Hz:3500r/min

200WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101000301010	60.5x39x23.5cm	4pcs/CTN	19.5/20.5kg

PBG150-C2BENCH GRINDER



Voltage/frequency:	220-240V~50/60Hz
Specification:	150mm(6")
Frequency/Speed:	50Hz:2950r/min 60Hz:3500r/min

300WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101000601010	43x37x27cm	2pcs/CTN	14.5/15kg

PBG200-C2BENCH GRINDER



Voltage/frequency:	220-240V~50/60Hz
Specification:	200mm(8")
Frequency/Speed:	50Hz:2950r/min 60Hz:3500r/min

500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101000901010	55x39x30cm	2pcs/CTN	19/19.5kg

PMG150-CENGRAVER TOOL KIT



Voltage/frequency:	220V~/50Hz
Specification:	3.2mm(1/8")
Speed:	10000~33000r/min

1500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101200204010	35x34.5x30.5cm	5pcs/CTN	9.5/10.5kg

PBG125-C3BENCH GRINDER



Voltage/frequency:	220-240V~50/60Hz
Specification:	125mm(5")
Frequency/Speed:	50Hz:2950r/min 60Hz:3500r/min

200WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101000401010	60x38x23cm	4pcs/CTN	18.5/19.5kg

PBG150-C3BENCH GRINDER



Voltage/frequency:	220-240V~50/60Hz
Specification:	150mm(6")
Frequency/Speed:	50Hz:2950r/min 60Hz:3500r/min

300WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101000701010	43x37x27cm	2pcs/CTN	13.5/14.5kg

PBG200-C3BENCH GRINDER



Voltage/frequency:	220-240V~50/60Hz
Specification:	200mm(8")
Frequency/Speed:	50Hz:2950r/min 60Hz:3500r/min

500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101001001010	55x39x30cm	2pcs/CTN	18.5/19kg

PMG200-C1ENGRAVER TOOL KIT



Voltage/frequency:	220V~/50Hz
Specification:	3.2mm(1/8")
Speed:	10000~33000 r/min

1500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101200304010	60x40.5x38cm	5pcs/CTN	17.5/18.5kg

PTG1001-C SAW CHAIN SHARPENER



Voltage/frequency:	220V~/50Hz
Specification:	Ø108x23.2x3.2mm
Speed:	5500r/min

85W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101100101010	53x46x19cm	4pcs/CTN	9.5/10.5kg

PMTS1003-C ELECTRIC MULTIPURPOSE SHARPENER



Voltage/frequency:	220V~/50Hz
Max.grinding For Drill:	Ø3~13mm
Speed:	6700r/min

65W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101100301010	44x42x16.5cm	4pcs/CTN	6/7kg

PHA2.0-C HEATER



Voltage/frequency:	220V~/50Hz
Flow Rate:	210m³/h
Heatable Area:	15~20m²

2000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
108100101010	56x39x30.5cm	4pcs/CTN	8.5/10.5kg

PWM32-D PLASTIC WELDING MACHINE



Voltage/frequency:	220V~/50Hz
Temperature:	0~300°C
Specification:	Ø20~32mm(3/4"-1-1/4")

800W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104700101010	46x35x36cm	10pcs/CTN	15/16kg

PTG1002-C SAW CHAIN SHARPENER



Voltage/frequency:	220V~/50Hz
Specification:	Ø100x10x3.2mm
Speed:	7500r/min

220W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
101100201010	57x28x41.5cm	6pcs/CTN	12/13kg

PEC60-C ELECTRIC SOLDERING IRON



Voltage/frequency:	220V/50Hz
Temperature:	200-480 °C

60W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104800201010	51x27x43cm	16pcs/CTN	13/13.7kg

PHA3.0-C HEATER



Voltage/frequency:	220V~/50Hz
Flow Rate:	240m³/h
Heatable Area:	20~30m²

100W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
108100201010	59.5x44x32.5cm	4pcs/CTN	10.5/13kg

PWM43-C1 PLASTIC WELDING MACHINE



Voltage/frequency:	220V~/50Hz
Temperature:	0-300°C
Specification:	Ø20~40mm(3/4"-1-1/2")

1200W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104700201010	41.5x20.5x45.5cm	5pcs/CTN	10.5/11kg

PWM63-C PLASTIC WELDING MACHINE



Voltage/frequency:	220V~/50Hz
Temperature:	0-300°C
Specification:	Ø20~63mm(3/4"-2-1/2")

2000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104700301010	46x31.5x30cm	3pcs/CTN	14/15kg

PHM150-C ELECTRIC MIXER



Voltage/frequency:	220V~/50Hz
Speed:	0~500/700r/min
Specification:	Ø120mm(5")

1500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103400301010	39x33x51cm	2pcs/CTN	11/12kg

PSG3020-C ELECTRIC PAINT SPRAYER



Voltage/frequency:	220V~/50Hz
Flow Rate:	700ml/min
Specification:	Ø2.5mm
Kettle capacity:	800ml

550W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103900201010	47.5x28.5x25.2cm	4pcs/CTN	6.5/7.5kg

PSG3022-C ELECTRIC PAINT SPRAYER



Voltage/frequency:	220V~/50Hz
Flow Rate:	1000ml/min
Specification:	Ø2.0/2.5/3.0mm
Kettle capacity:	900ml

600W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103900401010	62x53x30.5cm	4pcs/CTN	13/14kg

PHM120-C ELECTRIC MIXER



Voltage/frequency:	220V~/50Hz
Speed:	0~550r/min
Chuck Capacity:	Ø16mm(5/8")
Specification:	Ø120mm(5")

1050W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103400201010	56x38x30cm	4pcs/CTN	21.5/22.5kg

PHM250-C ELECTRIC MIXER



Voltage/frequency:	220V~/50Hz
Speed:	0~600/800r/min
Specification:	Ø120mm(4-3/4")x2

1600W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103400401010	59x32.5x25cm	1pc/CTN	8/8.5kg

PSG3021-C ELECTRIC PAINT SPRAYER



Voltage/frequency:	220V~/50Hz
Flow Rate:	800ml/min
Specification:	Ø2.0/2.5/3.0mm
Kettle capacity:	900ml

500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
103900301010	57x28.5x28cm	4pcs/CTN	7.5/8kg



PMI180-C1 INVERTER MMA WELDER

Voltage/frequency:	190-250V~/50Hz
Applicable Electrode:	1.6-3.2mm
Current:	10-180A



4800W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104900201010	45x35x27cm	3pcs/CTN	12/12.5kg

PMIG145-C2 INVERTER MIG/MMA WELDER

Voltage/frequency:	190-250V~/50Hz
MIG:	0.6-1.0mm
MMA:	2.5-4.0mm
Current:	10-145A



4000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104900701010	44,5x25,5x34cm	1pc/CTN	7,5/8,5kg

PMIG165-C2 INVERTER MIG/MMA WELDER

Voltage/frequency:	190-250V~/50Hz
MIG:	0.6-1.0mm
MMA:	2.5-4.0mm
Current:	10-205A



4800W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104900801010	56x28x37cm	1pc/CTN	11/12kg

PMIG205-C2 INVERTER MIG/MMA WELDER

Voltage/frequency:	190-250V~/50Hz
MIG:	0.6-1.0mm
MMA:	2.5-5.0mm
Current:	10-205A



5800W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104900901010	75x27,5x36,5cm	1pc/CTN	14/15kg

PMI220-C2 INVERTER MMA WELDER

Voltage/frequency:	190-250V~/50Hz
Applicable Electrode:	1.6-3.2mm
Current:	10-220A



5800W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104900301010	35x33x30,5cm	2pcs/CTN	9/10kg



PMIG220-C2 INVERTER MIG/MMA WELDER

Voltage/frequency:	190-250V~/50Hz
MIG:	0.6-1.0mm
MMA:	2.5-5.0mm
Current:	10-220A



7500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
104900601010	71x28x37cm	1pc/CTN	14,5/15,5kg



PZU10-C1 BATTERY CHARGER

Voltage/frequency:	220V~/50Hz
Charging Current:	6V/12V: 0-8A
Kettle capacity:	6V/12V: 12-58Ah



250W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105300101010	26,5x21x24cm	1pc/CTN	4,5/5kg

PZU10-C2 BATTERY CHARGER

Voltage/frequency:	220V~/50Hz
Charging Current:	12/24V/ 0-10A
Kettle capacity:	12/24V: 6-100Ah



180W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105300201010	49x43,5x24,5cm	8pcs/CTN	10/12kg

PZU20-C1 BATTERY CHARGER

Voltage/frequency:	220V~/50Hz
Charging Current:	12V/24v: 0-12A
Kettle capacity:	12V/24V: 12-58Ah



450W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105300301010	26,5x21x24cm	1pc/CTN	4,5/5kg

PZU30-C1 BATTERY CHARGER

Voltage/frequency:	220V~/50Hz
Charging Current:	12V/24V: 0-20A
Kettle capacity:	12V/24V: 20-85Ah



700W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105300401010	30,5x21,5x25,5cm	1pc/CTN	7/7,5kg

PZU40-C1 BATTERY CHARGER



Voltage/frequency:	220V~/50Hz
Charging Current:	12V/24V: 0-25A
Kettle capacity:	12V/24V: 20-250Ah

850-5000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105300501010	31.5x25.5x25.5cm	1pc/CTN	9/10kg

PZU450-C BATTERY CHARGER



Voltage/frequency:	220V~/50Hz
Charging Current:	12V/24V: 0-70A
Kettle capacity:	12V/24V: 30-700Ah



1400-8000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105300701010	64x30x33cm	1pc/CTN	14.5/15.5kg

PO220-30A BATTERY CHARGER



Voltage/frequency:	220V~/50Hz
Charging Current:	12/24V/ 3-30A
Kettle capacity:	12/24V: 10-300Ah

460W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105300901010	56.5x32x25.5cm	4pcs/CTN	11.5/12kg

PO220-300A BATTERY CHARGER



Voltage/frequency:	220V~/50Hz
Charging Current:	12/24V/ 5-50A
Kettle capacity:	12/24V: 10-700Ah

765W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105301101010	50x37.2x25.7cm	3pcs/CTN	14/15.2kg

PZU50-C1 BATTERY CHARGER



Voltage/frequency:	220V~/50Hz
Charging Current:	12V/24V: 0-30A
Kettle capacity:	12V/24V: 20-300Ah

950-6400W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105300601010	31.5x25.5x25.5cm	1pc/CTN	9.5/10.5kg

PZU650-C BATTERY CHARGER



Voltage/frequency:	220V~/50Hz
Charging Current:	12V/24V: 0-80A
Kettle capacity:	12V/24V: 50-1000Ah



2200-12000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105300801010	64x30x33cm	1pc/CTN	23/24kg

PO220-50A BATTERY CHARGER



Voltage/frequency:	220V~/50Hz
Charging Current:	12/24V/ 3-50A
Kettle capacity:	12/24V: 10-500Ah

765W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105301001010	42.5x29.7x29cm	4pcs/CTN	11.6/12.35kg

PO220-600A BATTERY CHARGER



Voltage/frequency:	220V~/50Hz
Charging Current:	12/24V/ 5-80A
Kettle capacity:	12/24V: 10-1000Ah

1230W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105301201010	50.2x37.2x26cm	3pcs/CTN	14.3/16.35kg



PGE2800-G GASOLINE GENERATOR

NEW!



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	15L
Speed:	3000r/min
Displacement:	212cc



2800W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107100101010	60x44x45cm	1pc/CTN	37.7/39.2kg

PGE5000-G GASOLINE GENERATOR

NEW!



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	25L
Speed:	3000r/min
Displacement:	420cc



5000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107100301010	71x54x57cm	1pc/CTN	70/71kg

PGE3500-G GASOLINE GENERATOR

NEW!



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	15L
Speed:	3500r/min
Displacement:	223cc



3500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107100201010	60x44x45cm	1pc/CTN	39.8/41.3kg

PGE5500-G GASOLINE GENERATOR

NEW!



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	26L
Speed:	3600r/min
Displacement:	420cc



5500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107100401010	71x54x59cm	1pc/CTN	84/86kg

PGE2000-G GASOLINE GENERATOR



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	5.6L
Speed:	5100r/min
Displacement:	79.8cc

2000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107100501010	55.5x35.5x53cm	1pc/CTN	20/22.5kg

PGE3700-G1 GASOLINE GENERATOR



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	7L
Speed:	3600r/min
Displacement:	223cc

3700W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107100701010	45.5x38.5x49cm	1pc/CTN	27/29kg

PGE1100-G GASOLINE GENERATOR



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	5L
Speed:	3600r/min
Displacement:	223cc

1100W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107100901010	39x36.5x46.5cm	1pc/CTN	25/27kg

PGE2200-G GASOLINE GENERATOR



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	25L
Speed:	3600r/min
Displacement:	460cc

2200W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107101101010	65x57x65cm	1pc/CTN	66/70kg

PGE5500-G2 GASOLINE GENERATOR



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	7L
Speed:	4300r/min
Displacement:	236cc

5500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107100601010	45.5x38.5x49cm	1pc/CTN	30/32kg

PGE5500-G1 GASOLINE GENERATOR



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	15L
Speed:	4300r/min
Displacement:	236cc

5500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107100801010	69.5x58x75.5cm	1pc/CTN	39.5/41.5kg

PGE1000-G GASOLINE GENERATOR



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	12L
Speed:	3600r/min
Displacement:	212cc

1000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107101001010	52x44x53.5cm	1pc/CTN	33/35kg

PGE1100-G1 GASOLINE GENERATOR



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	7L
Speed:	3600r/min
Displacement:	236cc

1100W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107101201010	45.5x38.5x48.5cm	1pc/CTN	31/32.5kg

PGE3300-G GASOLINE GENERATOR



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	6L
Speed:	4600r/min
Displacement:	149cc

3300W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107101301010	53.5x36.5x52cm	1pc/CTN	25/27kg

PGE4500-G GASOLINE GENERATOR



Voltage/frequency:	220-240V~50/60Hz
Kettle capacity:	10L
Speed:	3600r/min
Displacement:	236cc

4500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107101401010	62.5x48.5x57cm	1pc/CTN	44/46kg





PAC24-C AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	24L
Kettle capacity:	206L/min
Speed:	2850r/min
Pressure:	8bar



1500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107000201010	58x28,5x59cm	1pc/CTN	18/20kg

PAC016003-2.5/50 AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	50L
Kettle capacity:	400L/min
Speed:	2850r/min
Pressure:	8bar



2500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107001301010	69x32x62cm	1pc/CTN	36,5/39kg

PAC50-C AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	50L
Kettle capacity:	206L/min
Speed:	2850r/min
Pressure:	8bar



1800W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107000301010	66x32,5x64cm	1pc/CTN	25/28kg

PAC50-C2 AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	50L
Kettle capacity:	170L/min
Speed:	950r/min
Pressure:	8bar



2000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107000401010	72,5x33x68cm	1pc/CTN	37/40kg

PAC9-C AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	9L
Kettle capacity:	110L/min
Speed:	1400r/min
Pressure:	8bar



800W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107000801010	45,5x18x49,5cm	1pc/CTN	14/14,5kg

PAC24-C1 AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	24L
Kettle capacity:	110L/min
Speed:	1400r/min
Pressure:	8bar



800W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107000901010	58x28x58,5cm	1pc/CTN	17,5/19kg

PAC100-C AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	100L
Kettle capacity:	330L/min
Speed:	950r/min
Pressure:	8bar



2500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107000501010	107,3x43,8x78,9cm	1pc/CTN	58/67kg

PAC100-C2 AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	100L
Kettle capacity:	370L/min
Speed:	950r/min
Pressure:	8bar



3300W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107000601010	107,3x43,8x83,5cm	1pc/CTN	62,5/71,5kg

PAC24-C2 AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	24L
Kettle capacity:	240L/min
Speed:	2850r/min
Pressure:	8bar



1500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107001001010	58x28x58,5cm	1pc/CTN	21/22,6kg

PAC50-C1 AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	50L
Kettle capacity:	240L/min
Speed:	2850r/min
Pressure:	8bar



1500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107001101010	70x30x61,5cm	1pc/CTN	24/28,5kg

PAC200-C AIR COMPRESSOR

Voltage/frequency:	220-240V~50/60Hz
Tank Capacity:	200L
Kettle capacity:	1030L/min
Speed:	900r/min
Pressure:	8bar



5500W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107000701010	148x54x91,5cm	1pc/CTN	150/170kg

PPG4-A AIR TIREINFLATING GUN

Operating Pressure:	0-4bar
Air Pressure Range:	0-12bar



Product No.	Outer Carton Size	Qty	N.W / G.W
104200101010	68x38x33cm	40pcs/CTN	15/16kg



PNA16-A PNEUMATIC STAPLER

Pressure:	90Psi
Air Flow:	33.9L/min
Staple Length:	6-16mm
Kettle capacity:	140pcs



Product No.	Outer Carton Size	Qty	N.W / G.W
103800401010	53.5x30x17.5cm	10pcs/CTN	11.2/11.7kg

PNA50-A PNEUMATIC STAPLER

Pressure:	90Psi
Air Flow:	67.9L/min
Brad Nails:	15-50mm
Staples:	16-40mm
Kettle capacity:	100pcs



Product No.	Outer Carton Size	Qty	N.W / G.W
103800501010	56x33.5x28.5cm	10pcs/CTN	15.4/16kg

PSG600-A PNEUMATIC SPRAY GUN

Pressure:	43Psi
Specification:	Ø1.4mm
Spray Width:	240±15%L/min
Air Consumption:	200L/min
Kettle capacity:	600ml



Product No.	Outer Carton Size	Qty	N.W / G.W
103900501010	68x47x26cm	20pcs/CTN	17.5/18.5kg

PSG1000-A PNEUMATIC SPRAY GUN

Pressure:	43Psi
Specification:	Ø1.4mm
Spray Width:	280±15%L/min
Air Consumption:	190L/min
Kettle capacity:	1000ml



Product No.	Outer Carton Size	Qty	N.W / G.W
103900701010	75x24x27cm	10pcs/CTN	11.5/12.5kg

PSG600-A1 PNEUMATIC SPRAY GUN

Pressure:	50Psi
Specification:	Ø1.5mm
Spray Width:	190±15%ØL/min
Air Consumption:	300L/min
Kettle capacity:	600ml



Product No.	Outer Carton Size	Qty	N.W / G.W
103900601010	57x36x40cm	20pcs/CTN	12/13kg

PSG1000-A1 PNEUMATIC SPRAY GUN

Pressure:	50Psi
Specification:	Ø1.5mm
Spray Width:	190±15%L/min
Air Consumption:	260L/min
Kettle capacity:	1000ml



Product No.	Outer Carton Size	Qty	N.W / G.W
103900801010	57x35x29.5cm	10pcs/CTN	8/9kg

PAW700-A PNEUMATIC IMPACT WRENCH

Pressure:	90PSI
Speed:	0-7000r/min
Torque:	680N·m
Air Consumption:	120L/min



Product No.	Outer Carton Size	Qty	N.W / G.W
101600601010	40x23.5x22.5cm	5pcs/CTN	13/17kg

PAW1300-A PNEUMATIC IMPACT WRENCH

Pressure:	90PSI
Speed:	0-5000r/min
Torque:	1300N·m
Air Consumption:	120L/min



Product No.	Outer Carton Size	Qty	N.W / G.W
101600701010	30x24.5x29.2cm	3pcs/CTN	14/16kg

PGG45-A AIR GREASEINJECTOR

Gas Consumption:	250L/min
Oil Volume:	0.85L/min
Operating Pressure:	6-8bar
Kettle capacity:	45L



Product No.	Outer Carton Size	Qty	N.W / G.W
104600201010	40x40x83cm	1pc/CTN	17/18kg



PTS10-D 5 PIECES AIR TOOL KIT

Spray Gun:	1pc
Air Blow Gun:	1pc
Air Tyre Inflator:	1pc
Air Engine Cleaning Gun:	1pc
Spiral Hose:	1pc



Product No.	Outer Carton Size	Qty	N.W / G.W
107700101010	56x41.5x48cm	10set/CTN	16.5/17.5kg



POG370-P SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	1.8m³/h
Max.head:	30m

370W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105601501010	32x30.5x3cm	4pcs/CTN	17.5/19kg

POG750-P SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	2.8m³/h
Max.head:	45m

750W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105601701010	52x33x56cm	1pc/CTN	17/18kg

POG32-S1 CIRCULATING PUMP



Voltage/frequency:	220-240V~50/60Hz
Input Power:	93/67/46W
Flow Rate:	4.5m³/h
Max.head:	6m

93/67/46W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105600401010	46.5x21.5x27.5cm	6pcs/CTN	19/20kg

PSW370-T SCREW PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	1.2m³/h
Max.head:	70m

370W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105700101010	56x10x16cm	1pc/CTN	7.5/8kg

POG370-P1 SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	2m³/h
Max.head:	30m

370W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105601601010	30.5x23.5x30cm	1pc/CTN	6.5/7.5kg

POG25-S1 CIRCULATING PUMP



Voltage/frequency:	220-240V~50/60Hz
Input Power:	93/67/46W
Max.head:	6m
Max.Flow:	3.8m³/h

93/67/46W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105600201010	46.5x21.5x27.5cm	6pcs/CTN	16.5/17.5kg

PSW30-C CLEAN WATER PUMP



Voltage/frequency:	220-240V~50/60Hz
Max.flow:	8L/min
Max.head:	10m

30W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105701801010	54.5x28x53cm	100pcs/CTN	24.5/25.5kg

PSW550-T SCREW PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	1.4m³/h
Max.head:	80m

550W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105700201010	58x10x16cm	1pc/CTN	8/9kg

PSW750-TSCREW PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	1.8m³/h
Max.head:	100m

750WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105700301010	60x10.5x17cm	1pc/CTN	12/12.5kg

PSW750-WSEWAGE PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	10m³/h
Max.head:	16m

750WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105702101010	43x28x24cm	1pc/CTN	13.5/14kg

PSW1100-W2CUTTING SEWAGE PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	15m³/h
Max.head:	20m


1100WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105702801010	45x28x24cm	1pc/CTN	16/17kg

POG370-P3SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	2.5m³/h
Max.head:	35m



370WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105602701010	30.5x24.2x32.5cm	1pc/CTN	8.5/9.5kg

PSW750-T1SCREW PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	2m³/h
Max.head:	130m

900WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105700401010	63x10.5x17cm	1pc/CTN	12.5/13kg

PSW900-W3SEWAGE PUMP



Voltage/frequency:	220-240V~50/60Hz
Input Power:	12m³/h
Max.head:	18m


900WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105702501010	43x28x24cm	1pc/CTN	14/15kg

POG370-P2SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Max.flow:	2m³/h
Max.head:	35m




370WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105602601010	30.3x29x35.1cm	4pcs/CTN	20/20.5kg

POG370-P4SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	5.5m³/h
Max.head:	23m




370WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105602801010	28.5x18x23cm	1pc/CTN	11/12kg

POG550-P1SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	3m³/h
Max.head:	48m




550WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105600501010	39.5x36x23cm	2pcs/CTN	16.5/17.5kg

POG550-P3SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	5.8m³/h
Max.head:	28m




550WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105600701010	34x21x26.5cm	1pc/CTN	10.5/11.5kg

POG750-P2SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	3.8m³/h
Max.head:	50m




50WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105600901010	32.6x25.8x34cm	1pc/CTN	13/14kg

POG750-P4SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	4.1m³/h
Max.head:	37m




750WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105601101010	47.5x19x24cm	1pc/CTN	14.5/15kg

POG550-P2SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	3.5m³/h
Max.head:	40m




550WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105600601010	32.6x25.8x34cm	1pc/CTN	12.5/13.5kg

POG750-P1SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Input Power:	3.5m³/h
Max.head:	58m




750WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105600801010	39.5x36.5x23cm	2pcs/CTN	22/23kg

POG750-P3SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Max.flow:	6.2m³/h
Max.head:	35m




750WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105601001010	34x21x26.5cm	1pc/CTN	11.5/12.5kg

POG1100-P3SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	8m³/h
Max.head:	40m




1100WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105601201010	38x24.5x29.5cm	1pc/CTN	13/14kg

POG1100-P4SELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	4.6m³/h
Max.head:	42m




1100WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105601301010	47.5x19x24cm	1pc/CTN	15/15.5kg

POG1500-PSELF-PRIMING PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	4.6m³/h
Max.head:	47.5m




1500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105601401010	47.5x19x24cm	1pc/CTN	15.5/16.5kg

PSW1100-CCLEAN WATER PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	55m³/h
Max.head:	15m




1100WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105701601010	51.5x30.5x24.2cm	1pc/CTN	16.5/17.5kg

PSW1500-CCLEAN WATER PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	80m³/h
Max.head:	12m




1500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105701701010	51.5x33x26.5cm	1pc/CTN	22/23kg

PSW370-CCLEAN WATER PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	5.5m³/h
Max.head:	20m




370WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105701001010	39.5x19x20.5cm	1pc/CTN	8/8.5kg

PSW550-C2CLEAN WATER PUMP



Voltage/frequency:	220-240V~50/60Hz
Input Power:	18m³/h
Max.head:	15m




550WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105701101010	43.7x25x21cm	1pc/CTN	11/12kg

PSW750-CCLEAN WATER PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	10m³/h
Max.head:	35m




750WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105701201010	43.7x25x23.2cm	1pc/CTN	13/14kg

PSW750-C1CLEAN WATER PUMP



Voltage/frequency:	220-240V~50/60Hz
Max.flow:	28m³/h
Max.head:	20m




750WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105701301010	43.7x25x21cm	1pc/CTN	12.5/13.5kg

PSW750-C2CLEAN WATER PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	28m³/h
Max.head:	20m




750WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105701401010	43.7x25x21cm	1pc/CTN	12.5/13.5kg

PSW750-C3CLEAN WATER PUMP



Voltage/frequency:	220-240V~50/60Hz
Flow Rate:	55m³/h
Max.head:	12m



750WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105701501010	47.5x29x25.7cm	1pc/CTN	14.5/15.5kg





PVC15-C

VACUUM CLEANER



Voltage/frequency:220-240V~50/60Hz

Kettle capacity:15L

Max.sealed Suction:16kpa

1300W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105800301010	32x32x43cm	1pc/CTN	5/5.5kg

PVC20-C

VACUUM CLEANER



Voltage/frequency:220-240V~50/60Hz

Kettle capacity:20L

Max.sealed Suction:16kpa

1500W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105800401010	35.5x35.5x50cm	1pc/CTN	6.5/7.5kg

PVC30-C

VACUUM CLEANER



Voltage/frequency:220-240V~50/60Hz

Kettle capacity:30L

Max.sealed Suction:16kpa



1500W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105800501010	35.5x35.5x50cm	1pc/CTN	5.5/8kg

PBO750-C

WORKSHOP BLOWER



Voltage/frequency:220-240V~50/60Hz

Speed:0-19300r/min

Max.Flow:2.8m³/h

750W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106000301010	54,5x26,5x40cm	6pcs/CTN	10,5/11,5kg

PHP140-C1

HIGH PRESSURE CLEANER



Voltage/frequency:220-240V~50/60Hz

Max.rate:420L/h

1600W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105900201010	32x32x40cm	1pc/CTN	6,5/7,3kg

PHP170-C1

HIGH PRESSURE CLEANER



Voltage/frequency:220-240V~50/60Hz

Max.rate:450L/h



2200W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105900401010	45x33x51cm	1pc/CTN	8,5/10kg

PVC30-C1

VACUUM CLEANER



Voltage/frequency:220-240V~50/60Hz

Kettle capacity:30L

Max.sealed Suction:20kpa



1600W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105800601010	46.5x37.5x60cm	1pc/CTN	14/16,4kg

PHP120-C1

HIGH PRESSURE CLEANER



Voltage/frequency:220-240V~50/60Hz

Max.rate:390L/h

1600W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105900101010	26x25x42cm	1pc/CTN	5/5,5kg

PHP170-C

HIGH PRESSURE CLEANER



Voltage/frequency:220-240V~50/60Hz

Max.rate:450L/h



2200W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105900301010	37x33x51cm	1pc/CTN	8/9,5kg

PHP180-C

HIGH PRESSURE CLEANER



Voltage/frequency:220-240V~50/60Hz

Max.rate:580L/h



2800W

Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
105900501010	68.5x52.5x56,5cm	1pc/CTN	48/51kg

81

www.pit-tools.com 82



PKE405-D1ELECTRIC CHAIN SAW

NEW!



Voltage/frequency:	220-240V~50/60Hz
Speed:	5000r/min
Specification:	405mm(16")

1600WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106300501010	47x46x37cm	4pcs/CTN	19.5/21kg

PKE405-C5ELECTRIC CHAIN SAW

NEW!



Voltage/frequency:	220-240V~50/60Hz
Speed:	6000r/min
Specification:	405mm(16")
Chain Speed:	13.5m/s

2000WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106300701010	54.5x43x26cm	2pcs/CTN	13.5/14.5kg

GCS45-C6GASOLINE CHAIN SAW



Displacement:	52cc
Speed:	11000r/min
Specification:	400mm(16")

2000WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106301101010	54x44x28.5cm	2pcs/CTN	13/14kg

PHE450-CHEDGE TRIMMER



Voltage/frequency:	220-240V~50/60Hz
Speed:	1700spm
Specification:	450mm(18")

500WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106700201010	93x29.5x25cm	4pcs/CTN	11.5/12.7kg

PKE405-C4ELECTRIC CHAIN SAW

NEW!



Voltage/frequency:	220-240V~50/60Hz
Speed:	4500r/min
Specification:	405mm(16")

1800WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106300601010	53.5x45x37.5cm	4pcs/CTN	22.5/24.5kg

PKE405-C7ELECTRIC CHAIN SAW

NEW!



Voltage/frequency:	220-240V~50/60Hz
Speed:	8500r/min
Specification:	405mm(16")
Chain Speed:	14.5m/s

2400WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106300901010	54.5x43.5x26.5cm	2pcs/CTN	12.5/13kg

GCS52-C7GASOLINE CHAIN SAW



Displacement:	52cc
Speed:	11000r/min
Specification:	450mm(18")

2200WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106301301010	54x48.5x29.5cm	2pcs/CTN	14.5/15.5kg

PHE550-CHEDGE TRIMMER



Voltage/frequency:	220-240V~50/60Hz
Speed:	1500spm
Specification:	550mm(22")

600WPowerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106700301010	105x42x25cm	4pcs/CTN	14/15kg



PTR1000-EL**ELECTRIC BRUSH TRIMMER**



Voltage/frequency:	220-240V~50/60Hz
Speed:	10000r/min
Specification:	300mm(12")

750W**Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
106100701010	98x25x24cm	2pcs/CTN	5.8/6.5kg

PTR1250-EL**ELECTRIC BRUSH TRIMMER**



Voltage/frequency:	220-240V~50/60Hz
Speed:	6800r/min
Specification:	255/420mm(10"/16-9/16")

1600W**Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
106100801010	92x24.5x24.5cm	2pcs/CTN	12.5/13kg

PTR1750-EL**ELECTRIC BRUSH TRIMMER**



Voltage/frequency:	220-240V~50/60Hz
Speed:	6800r/min
Specification:	255/420mm(10"/16-9/16")

1700W**Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
106100901010	92x24.5x26.5cm	2psc/CTN	13/13.5kg

P38-C**GASOLINE BRUSH TRIMMER**



Displacement:	38cc
Speed:	9000r/min
Kettle capacity:	0.95L
Specification:	255/440mm(10"/17")

1.7HP**Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
106101201010	36x30x25cm	1pc/CTN	6.2/7.2kg

P73102A**GASOLINE BRUSH TRIMMER**



Displacement:	56cc
Speed:	8500r/min
Kettle capacity:	1.2L
Specifcation:	255/440mm(10"/17")

2.3HP**Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
106101401010	33.5x24x20cm	1pc/CTN	6.5/7kg

P75103A**GASOLINE BRUSH TRIMMER**



Displacement:	56cc
Speed:	8500r/min
Kettle capacity:	1.2L
Specification:	255/440mm(10"/17")

2.8HP**Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
106101701010	33.5x24x30cm	1pc/CTN	6.5/7kg

PTR2000-EL**ELECTRIC BRUSH TRIMMER**



Voltage/frequency:	220-240V~50/60Hz
Speed:	7500r/min
Specification:	255/400mm(10"/16")

2000W**Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
106101001010	101x24x24cm	2pcs/CTN	14.5/15.5kg

P73102**GASOLINE BRUSH TRIMMER**



Displacement:	52cc
Speed:	8500r/min
Kettle capacity:	1.2L
Specification:	255/440mm(10"/17")

2.3HP**Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
106101301010	33.5x24x31cm	1pc/CTN	7/7.5kg

P75103**GASOLINE BRUSH TRIMMER**



Displacement:	56cc
Speed:	8500r/min
Kettle capacity:	1.2L
Specification:	255/440mm(10"/17")

3.2HP**Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
106101601010	33.5x24x31cm	1pc/CTN	7/7.5kg

PTR440-G**GASOLINE BRUSH TRIMMER**



Displacement:	52cc
Speed:	8500r/min
Kettle capacity:	1.2L
Specification:	255/440mm(10"/17")

2.5HP**Powerful Efficient**

Product No.	Outer Carton Size	Qty	N.W / G.W
106101101010	37x31x24cm	1pc/CTN	7.5/8kg



PLM32-C ELECTRIC LAWN MOWER

Voltage/frequency:	220-240V ~ 50/60Hz
Speed:	3600r/min
Specification:	320mm(13")

1200W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106200301010	67x44x28cm	1pc/CTN	7.5/8kg

PLM40-C ELECTRIC LAWN MOWER

Voltage/frequency:	220-240V~50/60Hz
Speed:	3200r/min
Specification:	400mm(16")

2000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106200501010	71x48x29cm	1pc/CTN	11/12.3kg

P51210 GASOLINE EARTH AUGER

Displacement:	52cc
Speed:	7200-8000r/min
Fuel Tank Capacity:	1200ml
Specification:	200mm(8")

1800W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106500101010	39.7x29.2x29cm	1pc/CTN	9.49/10.19kg

PLM37-C ELECTRIC LAWN MOWER

Voltage/frequency:	220-240V~ 50/60Hz
Speed:	3300r/min
Specification:	370mm (15")

1600W Powerful Efficient


Product No.	Outer Carton Size	Qty	N.W / G.W
106200401010	67.5x44x28cm	1pc/CTN	10.5/11.5kg

PLM51-C2 GASOLINE LAWN MOWER

Displacement:	139cc
Speed:	3000r/min
Specification:	510mm(20")

3.5HP Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
106200601010	83x58x48cm	1pc/CTN	34/37kg





PRC04-C

NEW!



TWO POST LIFT

Voltage/frequency:	220-240V~50/60Hz
Lifting Capacity:	4T

2000W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107600301010	2850x500x800cm	1set/CTN	560/585kg

PRC24-C

NEW!



WHEEL BALANCER

Voltage/frequency:	220-240V~50/60Hz
Tire Diameter:	10-24"
Maximum Wheel Weight:	65Kg
Accuracy:	1g

200W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107600201010	1155x755x1120cm	1set/CTN	96/118kg

PRC24-C1

NEW!



3D WHEEL ALIGNMENT

Voltage/frequency:	220-240V~50/60Hz
Tire Diameter:	10-24"
Pixel:	8 million

2200W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107600401010	101x86x73cm	1set/CTN	110/115kg
	290x38x38cm	1set/CTN	70/75kg

PRC26-C

NEW!



TYRE CHANGER

Voltage/frequency:	380V~50/60Hz
Clamping Diameter:	12-26"
Outside Locking (Rim):	10-24"
Tire Diameter:	1050mm
Wheel Width:	4-13"

2200W Powerful Efficient

Product No.	Outer Carton Size	Qty	N.W / G.W
107600101010	1000x720x1200cm	1set/CTN	220/236kg

P.I.T.

POWER TOOLS STORAGE AND HANDLING



STACKIN 

**UNRIVALED ORGANIZATION.
SMARTER STORAGE.**

 **SMARTER
STORAGE**

 **IMPACT
RESISTANT**

 **IP65
WATER
PROOF**

STACKIN™ ROLLING TOOL BOX





Extension Handle

Removable pull rod

Plug-in attachment function

Wear-resistant and non-slip tugboat

IP65 Rated Protection

Locking Points



9" All-Terrain Wheels

Model	Description	Size (cm)	Qty	N.W / G.W
HTLB02-4933	STACKIN™ Rolling Tool Box	58x49x41cm	1pc/CTN	7.8 /9.4Kg

STACKIN™ LARGE TOOL BOX





Strong aluminum alloy buckle

IP65 Rated Protection

Automatic buckle (PIT patent)



Interior Organizer Trays

Model	Description	Size (cm)	Qty	N.W / G.W
HTLB02-4924	STACKIN™ Large Tool Box	51x25.5x42.2cm	1pc/CTN	3.4/4.25Kg

STACKIN™ MEIDUM TOOL BOX





Convenient handle

Plug-in attachment function

Strong aluminum alloy buckle

Automatic buckle (PIT patent)



Convenient handle

Model	Description	Size (cm)	Qty	N.W / G.W
HTLB02-4917	STACKIN™ Meidum Tool Box	51x38x42.2cm	2pc/CTN	6.2/7.2Kg

STACKIN™ SMALL TOOL BOX





Convenient handle

Automatic buckle (PIT patent)




Customizable Foam Insert

Model	Description	Size (cm)	Qty	N.W / G.W
HTLB02-4912	STACKIN™ Small Tool Box	51x38x42.2cm	3pc/CTN	8.6 /9.6Kg

STACKIN™ LARGE PARTS BOX





PTA accessory box Corners

Free combination

Comes with hanging hole



Customizable filament base

Model	Description	Size (cm)	Qty	N.W / G.W
HTLB02-3505	STACKIN™ Large Parts Box	47.5x36.5x49cm	20pc/CTN	15.1 /16.5Kg

STACKIN™ MEIDUM PARTS BOX





Model	Description	Size (cm)	Qty	N.W / G.W
HTLB02-2205	STACKIN™ Meidum Parts Box	45.5x36x39cm	32pc/CTN	12.4 /13.6Kg

STACKIN™ SMALL PARTS BOX





Model	Description	Size (cm)	Qty	N.W / G.W
HTLB02-1505	STACKIN™ Small Parts Box	32x22x41cm	36pc/CTN	5.58 /6.25Kg

POWER TOOLS

50%
MORE
HOLES
PER WORKING HOUR

P.I.T. Ultra

PSB20H-13F CORDLESS BRUSHLESS IMPACT DRILL

NEW!



Voltage:	20V
Torque:	140N·m
Speed:	0-450/0-2000r/min
Specification:	Ø13mm (1/2")
Torque Setting:	20+3

P.I.T. Ultra

Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
101401001010	/	/	/	/	/
101401002110	PH20502x1pc	1pc	/	/	/
101401003210	PH20502x2pcs	1pc	/	/	/

PIW20H-900A CORDLESS BRUSHLESS IMPACT WRENCH

NEW!



Voltage:	20V
Torque:	900N·m
Speed:	0-1300/0-1800/0-2300r/min
Impact Rate:	3000ipm
Specification:	12.7mm (1/2")

P.I.T. Ultra

Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/
/	PH20502x1pc	1pc	/	/	/
/	PH20502x2pcs	1pc	/	/	/

PSD20H-205A CORDLESS BRUSHLESS IMPACT DRIVER

NEW!



Voltage:	/
Torque:	/
Speed:	/
Impact Rate:	/
Specification:	/

P.I.T. Ultra

Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/

PST20H-135A CORDLESS JIG SAW

NEW!



Voltage:	20V
Speed:	800-3200spm
Max.cutting Capacity:	135mm (5-5/16")

P.I.T. Ultra

Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/

PST20H-135B CORDLESS JIG SAW

NEW!



Voltage:	20V
Speed:	800-3200spm
Max.cutting Capacity:	135mm (5-5/16")

P.I.T. Ultra

Product No.	Battery Pack	Charger	Outer Carton Size	Qty	N.W / G.W
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/
/	/	/	/	/	/

PVC40-C VACUUM CLEANER

NEW!



Voltage/frequency:	220-240V-50/60Hz
Input Power:	1600W
Capacity:	40L
Max. Sealed Suction:	22Kpa

P.I.T. Ultra

Product No.	Outer Carton Size	Qty	N.W / G.W
105800701010	64x39x61cm	1pc/CTN	19/21.2kg

GSH65-C10 HEX SHANK DEMOLITION BREAKER HAMMER

NEW!



Voltage/frequency:	220-240V~50/60Hz
Input Power:	1700W
Impact Rate:	1900ipm
Impact Energy:	55J

P.I.T. Ultra

Product No.	Outer Carton Size	Qty	N.W / G.W
100201501010	86.5x21x36.5cm	1pc/CTN	19/28kg

PBH50-C SDS-MAX RATORY HAMMER DRILL

NEW!



Voltage/frequency:	220-240V~50/60Hz
Input Power:	1500W
Impact Rate:	1200-3100ipm
Impact Energy:	5-15J
Specification:	Ø50mm (2")

P.I.T. Ultra

Product No.	Outer Carton Size	Qty	N.W / G.W
100102701010	65x17.5x43cm	1pc/CTN	15/16kg

PWD150-C DIAMOND CORE DRILL

NEW!



Voltage/frequency:	220-240V~50/60Hz
Input Power:	2000W
Speed:	0-1300/0-2350r/min
Specification:	Ø150mm (6")

P.I.T. Ultra

Product No.	Outer Carton Size	Qty	N.W / G.W
106600201010	55.5x28x39.5cm	1pc/CTN	9.9/10.5kg

PWD230-C DIAMOND CORE DRILL

NEW!



Voltage/frequency:	220-240V~50/60Hz
Input Power:	3200W
Speed:	0-700r/min
Specification:	Ø230mm (9")

P.I.T. Ultra

Product No.	Outer Carton Size	Qty	N.W / G.W
106600401010	100.1x31.5x43.8cm	1pc/CTN	26.8/31kg

GSH90-C4 HEX SHANK DEMOLITION BREAKER HAMMER

NEW!



Voltage/frequency:	220-240V~50/60Hz
Input Power:	2000W
Impact Rate:	1300ipm
Impact Energy:	75J

P.I.T. Ultra

Product No.	Outer Carton Size	Qty	N.W / G.W
100201601010	81x49.5x15.5cm	1pc/CTN	31/39kg

PWD120-C DIAMOND CORE DRILL

NEW!



Voltage/frequency:	220-240V~50/60Hz
Input Power:	1800W
Speed:	0-2200r/min
Specification:	Ø120mm (5")

P.I.T. Ultra

Product No.	Outer Carton Size	Qty	N.W / G.W
106600101010	46.5x27.5x35.5cm	2pcs/CTN	17.5/18kg

PWD180-C DIAMOND CORE DRILL

NEW!



Voltage/frequency:	220-240V~50/60Hz
Input Power:	2300W
Speed:	0-1600r/min
Specification:	Ø180mm (7")

P.I.T. Ultra

Product No.	Outer Carton Size	Qty	N.W / G.W
106600301010	83.5x35x19cm	1pc/CTN	20.2/21.2kg

PWD230-C1 DIAMOND CORE DRILL

NEW!



Voltage/frequency:	220-240V~50/60Hz
Input Power:	3200W
Speed:	0-700r/min
Specification:	Ø230mm (9")

P.I.T. Ultra

Product No.	Outer Carton Size	Qty	N.W / G.W
106600501010	108.5x38x38cm	1pc/CTN	30/34.5kg

